


To : Mr. Oliver M. Filoteo
From : OP-PCO
Subject : New Air Purifier UV (KAP-500CHCPUV)
Date : September 7, 2020
Cc. : RCR / RRP / ADR

Enumerate herewith are the specification and parts of new air purifier (sample)


Model : **KAP-500CHCPUV**
Description : Air Purifier with UV
Unit Dimension : W x D x H: (412 x 243 x 710) mm
Package Dimension : W x D x H: (475 x 305 x 780) mm
CADR : 500 m3/h
Application Area (m2) : 40 -57 m2
Power Input : 220V / 60 hz / 80 Watts
Air Discharge Distance : 12 m
Noise Level (H) : 67 db(A)
Gross / Net Weight (kg) : 11.2 / 9.5 kg

Specification : No Specification Label
Color : white / blue and black for display
Accessories : Instruction Manual / Remote with battery

Main PCB : KJ500F-DY
KF500F-SMG-1010 (B6); 171102/5CB2



Touch Display (Board) : KJ500F-XS / 171103/706E




Blower Wheel

: Dia. 245 x 70 mm (black)



Ionizer

: JY-A-03A3 / Input: AC 180-240V / Output: DC 4.5 – 8.5 KV
Dual Ion Discharge (brush) / 20 million ion/cm³



Fan Motor(DC)

: MFD-45POV(A) / 8P / DC310V / 45W / 1,200 rpm



Swing Motor : 24BYJ48 12VDC

