

TO : WAREHOUSE AND DISTRIBUTION
FROM : KOLIN MARKETING, INC.
SUBJECT : Request for Pull-Out and Cancel order
DATE : October 14, 2024
REF : **KMI-000-24-10-0070**
CC : DCO/Sales

May we request your good office to process the pull-out of (1) unit KAG-100WCINV Class A of **ROSE NISCE** at KOLIN HEAD OFFICE. The unit said was cancelled by the customer because the size of the unit does not fit the mounting hole. Kindly check the units and packaging if intact. Please refer to KMI **DR# 52515** with serial number **19112401-84685** dated of 06/18/2024.

unit is not fit on the provided Hole.

Thank you very much.

Prepared by:


DONNABEL B. DELA ROSA
KMI-Clerk

Noted by:


MART NATHANIEL R. FLORES
KMI-Supervisor

Approved by:


EDITH M. FLORES
Assistant Vice-President

KOLIN

KOLIN MARKETING, INC.

1854 STA. RITA ST. GUADALUPE NUEVO,
MAKATI CITY

TEL. NO. 8852-1531 TO 37
FAX NO. 8852-2170

No 52515

DELIVERY RECEIPT

DELIVER TO ROSE NISCE
KOLIN HEAD OFFICE 0917-8537677

DATE: 06/18/2024
SO. NO. / DATE 4979

SALES CODE:

SHIP VIA:

QUANTITY

MODEL

SERIAL NO.

1

KAG-100WCINV-1A

w/ frame

19112401-84685

TREASURY
RELEASED

BY: *[Signature]*
DATE: 6/20/24

KOLIN PHILS. INT'L INC.
RELEASED

BY: *[Signature]*
DATE: 6/19/24

REMARKS: 58096

[Signature]
DENNABEL

PREPARED BY

Rommel
Rom Gail
DELIVERED BY

RECEIVED THE ABOVE MERCHANDISE
IN GOOD ORDER AND CONDITION

[Signature]
MARTIN FLORES
APPROVED BY

AUTHORIZED SIGNATURE

WHITE - CUSTOMER

BLUE - SALES

GREEN - WAREHOUSE

PINK - ACCOUNTING

YELLOW - GUARD