



November 21, 2025

MR. DARYL ONG
MARIPOSA ST. CORNER MILFLORES ST., GENEVA GARDENS SUBD., BRGY. NORTH FAIRVIEW, QUEZON CITY
ATTN: MR. ROBY SABULAO
TEL#: 0949-4443169 / 0970-7793699

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION - revision 3

* OPTION 1 *

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED PRICE		AMOUNT
4	UNIT/S	MODEL: KS-IW15-MCAI1201M32 KOLIN WALL MOUNTED CERTUS A/ SERIES AIRCONDITIONER 12,880 KJ/h (1.5HP) FULL DC INVERTER W/ WIFI R-32	33,995.00	18,996.25	PHP	75,985.00
4	UNIT/S	MODEL: KS-IW20-MCAI1201M32 KOLIN WALL MOUNTED CERTUS A/ SERIES AIRCONDITIONER 19,000 KJ/h (2.0HP) FULL DC INVERTER W/ WIFI R-32	42,995.00	25,746.25	PHP	102,985.00
1	UNIT/S	MODEL: KS-IW25-MCAI1201M32 KOLIN WALL MOUNTED CERTUS A/ SERIES AIRCONDITIONER 23,800 KJ/h (2.5HP) FULL DC INVERTER W/ WIFI R-32	50,995.00	31,246.25	PHP	31,246.25
4	UNIT/S	MODEL: KSG-IWF-30WFF-8K1M32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 29,500 KJ/h (3.0HP) FULL DC INVERTER W/ WIFI R-32	76,595.00	50,446.25	PHP	201,785.00
TOTAL UNIT COST					PHP	412,001.25
ESTIMATED COST OF INSTALLATION (please see attached)					PHP	246,800.00
TOTAL ESTIMATED COST OF THE PROJECT					PHP	658,801.25

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

BANK DETAILS:

- * Unit/s & Delivery: Account Name - KOLIN MARKETING INC. / Account# - 011808002307 (BDO-KALAYAAN)
- * Installation: Will be provided by assigned installer.
- ** You may settle first payment for unit/s & delivery. Installation payment can be settled directly to installer after actual works.
- ** Less 7% discount on actual installation cost.

WARRANTY:

FOR SPLIT TYPE : ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB , TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

** Cost of Installation is Package with the Unit(s), this cost cannot avail separately (cost will be based on actual works).

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi_asst@kolinphil.com.ph

Very Truly Yours,

JANELLEN S. LIM
KMI-ASSISTANT

Noted By:
MART NATHANIEL R. FLORES
KMI-SUPERVISOR

Approved By:

for:
MS. EDITHA M. FLORES
AVP - FINANCE

KMI-QUOTE-10-25-0763-rev3
JCY-25%/6.5K/7K

Conforme:

SIGNATURE OVER PRINTED NAME

Kolin Marketing, Inc.

1854 Sta. Rita St., Guadalupe Nuevo, Makati City

Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792

www.kolinphil.com.ph / [kolinphilippines](http://kolinphilippines.com)





GODSPEED REFRIGERATION AND AIRCONDITIONING SERVICES

Customer Name:	DARYL ONG	Date:	OCTOBER 15 2025
Customer Address:	MARIPOSA ST. COR. MILFLORES GENEVA GARDEN NORTH FAIRVIEW QC		

Qty	Unit Model	Unit Capacity/Type
4	KSG-IWF-15WFFY8K1M32	1.5HP Wall Mounted Inverter
1	KSG-IWF-25WFFY8K1M32	2.5HP Wall Mounted Inverter
4	KSG-IWF-30WFFY8K1M32	3.0HP Wall Mounted Inverter
4	KSG-IWF-20WFFY8K1M32	2.0HP Wall Mounted Inverter
13 UNITS		

Location/s:	ENTRANCE / MAIN DOOR	Area: ##
ACU #	Unit Model: KSM-IW15-WCT10M1M32	Unit Capacity/Type: 1.5HP Wall Mounted Inverter

Estimated Pipe Length

=

12

Estimated Royal Cord Length

=

17

Initial Charge

₱ 7,500.00

10ft Copper tube

10ft Royal Cord

Outdoor bracket Wall/Floor Consumables

Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	1/2"Ø x 1/4"Ø	2 ft	₱ 350.00 /ft	₱ 700.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	7 ft	100.00 /ft	700.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	20Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type		* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges				₱ 10,050.00

Location/s:	GUEST ROOM	Area: ##
ACU #	Unit Model: KSM-IW15-WCT10M1M32	Unit Capacity/Type: 1.5HP Wall Mounted Inverter

Estimated Pipe Length	=	20		
Estimated Royal Cord Length	=	25		
Initial Charge		₱ 7,500.00		
10ft Copper tube				
10ft Royal Cord				
Outdoor bracket Wall/Floor				
Consumables				
Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	1/2"Ø x 1/4"Ø	10 ft	₱ 350.00 /ft	₱ 3,500.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	15 ft	100.00 /ft	1,500.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	20Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type		* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges				₱ 13,650.00

Location/s:	MUSIC ROOM	Area: ##	sqm.
ACU	Unit Model:	KSG-IWF-25WFY8K1M32	Unit Capacity/Type: 2.5HP Wall Mounted Inverter

Estimated Pipe Length	=	22		
Estimated Royal Cord Length	=	27		
Initial Charge			₱ 8,500.00	
10ft Copper tube				
10ft Royal Cord				
Outdoor bracket Wall/Floor Consumables				
Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	5/8"Ø x 1/4"Ø	12 ft	₱ 400.00 /ft	₱ 4,800.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	17 ft	100.00 /ft	1,700.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	30Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges			₱	16,150.00

Location/s:	DINING ROOM	Area: ##	sqm.
ACU	Unit Model:	KSG-IWF-30WFY8K1M32	Unit Capacity/Type: 3.0HP Wall Mounted Inverter

Estimated Pipe Length

=

30

Estimated Royal Cord Length

=

35

Initial Charge

₱

8,500.00

10ft Copper tube

10ft Royal Cord

Outdoor bracket Wall/Floor Consumables

Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	5/8"Ø x 1/4"Ø	20 ft	₱ 400.00 /ft	₱ 8,000.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	25 ft	100.00 /ft	2,500.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	30Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges			₱	20,150.00

Location/s:	WIC		Area: ## sqm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
ACU	Unit Model:	KSG-IWF-20WY8K1M32	Unit Capacity/Type:	1.0HP Wall Mounted Inverter																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

Estimated Pipe Length

=

29

Estimated Royal Cord Length

=

34

Initial Charge

₱

7,500.00

10ft Copper tube

10ft Royal Cord

Outdoor bracket Wall/Floor Consumables

Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	3/8"Ø x 1/4"Ø	19 ft	₱ 350.00 /ft	₱ 6,650.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	24 ft	100.00 /ft	2,400.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	20Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges				₱ 17,700.00

Location/s:	MATERS BEDROOM			Area:	## sqm.		
ACU		Unit Model:	KSG-IWF-20WY8K1M32		Unit Capacity/Type:	1.0HP Wall Mounted Inverter	

Estimated Pipe Length	=	43		
Estimated Royal Cord Length	=	48		
Initial Charge		₱ 7,500.00		
10ft Copper tube				
10ft Royal Cord				
Outdoor bracket Wall/Floor Consumables				
Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	3/8"Ø x 1/4"Ø	33 ft	₱ 350.00 /ft	₱ 11,550.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	38 ft	100.00 /ft	3,800.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	20Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges				₱ 24,000.00

Location/s:	MATERS BEDROOM 2	Area: ## sqm.
ACU	Unit Model: KSG-IWF-20WFY8K1M32	Unit Capacity/Type: 1.0HP Wall Mounted Inverter

Estimated Pipe Length

=

35

Estimated Royal Cord Length

=

40

Initial Charge

₱

7,500.00

10ft Copper tube

10ft Royal Cord

Outdoor bracket Wall/Floor Consumables

Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	3/8"Ø x 1/4"Ø	25 ft	₱ 350.00 /ft	₱ 8,750.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	30 ft	100.00 /ft	3,000.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	20Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges				₱ 20,400.00

Location/s:	BEDROOM 1	Area: ## sqm.
ACU	Unit Model: KSG-IWF-15WFY8K1M32	Unit Capacity/Type: 1.5HP Wall Mounted Inverter

Estimated Pipe Length	=	43		
Estimated Royal Cord Length	=	48		
Initial Charge			₱ 7,500.00	
10ft Copper tube				
10ft Royal Cord				
Outdoor bracket Wall/Floor Consumables				
Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	3/8"Ø x 1/4"Ø	33 ft	₱ 350.00 /ft	₱ 11,550.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	38 ft	100.00 /ft	3,800.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	20Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges			₱ 24,000.00	

Location/s: BEDROOM 2		Area: ## sqm.	
ACU	Unit Model: KSG-IWF-15WFY8K1M32	Unit Capacity/Type:	1.5HP Wall Mounted Inverter

Estimated Pipe Length

=

29

Estimated Royal Cord Length

=

34

Initial Charge

₱ 7,500.00

10ft Copper tube

10ft Royal Cord

Outdoor bracket Wall/Floor Consumables

Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	3/8"Ø x 1/4"Ø	19 ft	₱ 350.00 /ft	₱ 6,650.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	24 ft	100.00 /ft	2,400.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	20Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	150.00 /pc(s)	150.00
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges				₱ 17,700.00

Location/s:	MAIDS ROOM	Area:	## sqm.	
ACU	Unit Model:	KSG-IWF-15WfY8K1M32	Unit Capacity/Type:	1.5HP Wall Mounted Inverter

Estimated Pipe Length

=

30

Estimated Royal Cord Length

=

35

Initial Charge

₱ 7,500.00

10ft Copper tube

10ft Royal Cord

Outdoor bracket Wall/Floor Consumables

Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	3/8"Ø x 1/4"Ø	20 ft	₱ 350.00 /ft	₱ 7,000.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	25 ft	100.00 /ft	2,500.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	20Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	/pc(s)	
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges				₱ 18,000.00

Location/s:	LIVINGROOM	Area: ##	sqm.
ACU	Unit Model:	KSG-IWF-30WY8K1M32	Unit Capacity/Type: 3.0HP Wall Mounted Inverter

Estimated Pipe Length

=

28

Estimated Royal Cord Length

=

33

Initial Charge

₱ 8,500.00

10ft Copper tube

10ft Royal Cord

Outdoor bracket Wall/Floor Consumables

Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	5/8"Ø x 1/4"Ø	18 ft	₱ 400.00 /ft	₱ 7,200.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	23 ft	100.00 /ft	2,300.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	30Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	/pc(s)	
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges				₱ 19,000.00

Location/s:	LIVINGROOM 2ND	Area: ##	sqm.
ACU	Unit Model:	KSG-IWF-30WY8K1M32	Unit Capacity/Type: 3.0HP Wall Mounted Inverter

Estimated Pipe Length	=	30		
Estimated Royal Cord Length	=	35		
Initial Charge			₱ 8,500.00	
10ft Copper tube				
10ft Royal Cord				
Outdoor bracket Wall/Floor Consumables				
Installation Materials	Specification	Qty	Price per qty	Subtotal
Insulated Copper tube	5/8"Ø x 1/4"Ø	20 ft	₱ 400.00 /ft	₱ 8,000.00
Royal Cord (Comm wire)	2.0 sq.mm x 4c	25 ft	100.00 /ft	2,500.00
Royal Cord (Power Supply)	(#12) 3.5 sqmm. x 3c	* ft	60.00 /ft	
Circuit Breaker Weather Proof	30Amps / 1Ph	1 pc	1,000.00 /pc	1,000.00
Outdoor Unit Bracket Type	Fabricated floor	* set	62,500.00 /se	
Indoor Unit Bracket Type	*	* set	/se	
WAC Angle Bracket		* set	/se	
PVC Pipe	Ø3/4" x 10'	1 pc	/pc(s)	
Leak Test existing copper tube	*	* set	/set(s)	
Dismantle existing unit	*	* unit	/ur	
Chipping works		* mtr	500.00 /mtr	
Other works and materials	*	* lot	₱ * /lo	
Estimated Charges			₱	20,000.00

