

February 6, 2025

MR. SAMMY DELA CRUZ ATTN: MS. DAISY 432 10TH AVE. EAST GRACE PARK, BRGY. 101 CALOOCAN CITY

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED PRICE		AMOUNT
1	UNIT/S	MODEL: KSM-IW10-WCT10M1M32 KOLIN WALL MOUNTED CERTUS SERIES AIRCONDITIONER 9,800 Kj/h (1.0HP) REGULAR INVERTER R-32	29,995.00	19,396.10	РНР	19,396.10
TOTAL	TOTAL UNIT COST					
ESTIMATED COST OF INSTALLATION (please see attached)						10,075.00
OTHERS: DELIVERY CHARGE						600.00
TOTAL ESTIMATED COST OF THE PROJECT					PHP	30,071.10

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

WARRANTY:

FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

** Cost of Installation is Package with the Unit(s), this cost cannot avail separately (cost will be based on actual).

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi_asst@kolinphil.com.ph

Very Truly Yours,

JANELLEN S. LIM KMI-ASSISTANT

Noted by:

R. FLORES

KMI-SUPERVISOR

KMI-QUOTE-02-25-0090 ECY-22%/4K

Conforme:

Approved By:

AVP - FINANCE

SIGNATURE OVER PRINTED NAME

Kolin Marketing, Inc.

1854 Sta. Rita St., Guadalupe Nuevo, Makati City Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792 www.kolinphil.com.ph / kolinphilippines

KOLIN Philippines International Inc. Survey Form 003588 Customer Name: Date: Address: SJR No. : LINIFO Establishment Type: Residential Area Surveyed: Area Surveyed: Commercial -MOLOMMSS SIMIMD. **Recommended Product Model: Cooling Capacity Computation** Floor Area: sam note: add 20% per meter in excess of 3 meters in the Ceiling Height: mtr. initial cooling capacity computed. Floor Area: 550 Btu/h Btu/h 20% Btu/h Ceiling Height (excess of 3 mtrs.): 20% - 50% Btu/h Window Direct Sunlight X Btu/h **Total Cooling Capacity** Add: Additional Heat Load Btu/h No. of Person 300 Btu/h X Btu/h No. of Ordinary Light (<40w) 200 Btu/h X Btu/h No. of Special Light (>40w) 400 Btu/h X No. of Refrigerator (< 6 cu.ft.) 400 Btu/h Btu/h X Btu/h No. of Refrigerator (> 6 cu.ft.) 800 Btu/h X No. of Cooking Range 1500 Btu/h Btu/h X No. of Laptop Computer Btu/h 150 Btu/h X No. of Desktop Computer 400 Btu/h Btu/h X No. of Printer 500 Btu/h Btu/h X No. of Photocopier X 1000 Btu/h Btu/h Btu/h **Total Cooling Capacity Recommended Cooling Capacity** Btu/h Note: Compressor warranty will be reduced to _____yr. if air-conditioner purchased is lower than the recommended cooling capacity or pipe lay-out is beyond the maximum allowable length. Scope of Work Agreement 1. Copper tube lay-out Expose Embedded Included Not Included 2. Chipping 3. Fabricated Bracket Yes Shop Site 4. Service Ledge Yes No 5. Dismantling of existing Aircon Included Not Included Yes No 6. Ducting Dimension: 7. Plastering, carpentry and restoration works are to be done by the customer. 8. Wiring of electrical supply from main panel to air-conditioning unit are to be done by the customer. 9. Processing of mechanical plan, working permit, electrical permit are to be done by the customer. 10. Other concern;

												,		 	
							f	-0UF		= ^					
							1-1-1								
							924								
				4.	0										
											•				
	,				1) 5								
							- 2 -		/						
					11										
			Ţ.	XX	Y.C	,									
 ļ	Ī														

Indoor Unit Location		AT HENR DOOR
Outdoor Unit Location	:	IN THE 1200F
Pipe Length	:	10 157
Special Note		

In	stallation Cost Estimate			
Material Descrip	Qty.	Unit Cost	Total Cost	
Copper Tube (excess of 10 ft.)				
Wire (Royal Cord-signal wire) (excess of 10ft.)	YFT'	100	141	
Wire (Royal Cord - Breaker to ODU)	3.5mm / 5.5mm x 3C			
Circuit Breaker	20A, 30A, 40A/1ph, 40A/3ph			
Bracket (ODU)	(Imptd. / Fabricated) ((Floor / Wall)		C67X	750
Bracket (WAC)	Angle Type			
PVC Pipe (drain)	1/2" , 3/4"			
PVC Pipe (electrical)	3/4" , 1"			
Drain Pump		_		, ,
Drain Pump Hose			T'N	11)-(
Chipping Works	mtr.			
Dismantling Fee (existing air-conditioner)				10
	久の本戸			10-1-00
	TOTAL ESTIMATE			

Note

- Initial Charge includes labor, 10ft. Copper tube, 10ft. Royal cord, Circuit breaker, Outdoor Bracket (SAC), Indoor Bracket (PAC) and Consumable materials.
- 2. Survey fee will be deducted in the installation fee.

Prepared by:

Signature Over Printed Name

Customer Conforme:

Signature Over Printed Name