

April 25, 2025

MR. NIKKO DOBLON TEJOHAL BLDG., 1205 BENAVIDEZ ST., TONDO MANILA 0920-2755708

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

## A. EQUIPMENT

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED		AMOUNT
1	UNIT/S	MODEL: KSG-IWF-30WFY-8K1M32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 29,500 Kj/h (3.0HP) FULL DC INVERTER W/ WIFI R-32	76,595.00	51,212.20	РНР	51,212.20
TOTAL UNIT COST						51,212.20
ESTIMATED COST OF INSTALLATION (please see attached)					PHP	25,795.00
OTHERS: DELIVERY CHARGE					PHP	600.00
TOTAL ESTIMATED COST OF THE PROJECT						77,607.20

## TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

## WARRANTY:

FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. PRICES IS VAT INCLUSIVE.

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi\_asst@kolinphil.com.ph

Very Truly Yours,

JANELLEN S. LIM

Noted by

MART NATHANIEL R. FLORES

KMI-SUPERVISOR

KMI-QUOTE-04-25-0306

REG-24%/7K

Approved By:

MS. EDITHA M. FLORES

AVP FINANCE

Conforme:


SIGNATURE OVER PRINTED NAME



1854 Sta. Rita St., Guadalupe Nuevo, Makati City


Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792 www.kolinphil.com.ph / kolinphilippines





Stablishment Type : Residential Commercial		Area Surveyed  Area Surveyed		AP .					
	7	The state of the s		517-					
Recommended Product Model:	-1VF-30	MH-8KIM32							
Cooling Capacity Computation									
Floor Area: Sqm.									
Ceiling Height: 0-3 mtr.		per meter in excess of ling capacity compute		the					
Floor Area:	29	×	550 Btu/h	15,950	Btu/h				
Ceiling Height (excess of 3 mtrs.):		x	20%		Btu/h				
Window Direct Sunlight		x	20% - 50%	3,190	Btu/h				
Total Cooling Capacity				19,100	Btu/h				
Add : Additional Heat Load				See on					
No. of Person	5	<b>X</b>	300 Btu/h	N-80	Btu/h				
No. of Ordinary Light (<40w)	4	×	200 Btu/h	800	Btu/h				
No. of Special Light (>40w)		x	400 Btu/h		Btu/h				
No. of Refrigerator (< 6 cu.ft.)	W No. of the last	X	400 Btu/h		Btu/h				
No. of Refrigerator (> 6 cu.ft.)	3	x	800 Btu/h	2900	Btu/h				
No. of Cooking Range / STENWEY	2	×	1500 Btu/h	3000	Btu/h				
No. of Laptop Computer		×	150 Btu/h		Btu/h				
No. of Desktop Computer		x	400 Btu/h		Btu/h				
No. of Printer / MI CHOWANTE		×	500 Btu/h	360	Btu/h				
No. of Photocopier ONEY TOXON		X	1000 Btu/h	000	Btu/h				
Total Cooling Capacity				9,200	Btu/h				
		1 A		51	5				
Recommended Cooling Capacity				28,340	Btu/h				
Note: Compressor warranty will be reduc recommended cooling capacity or p	ed to yr. if a ipe lay-out is beyo	air-conditioner purcha ond the maximum allo	sed is lower the	an the	in .				
	Scope of Wo	ork Agreement		8					
Copper tube lay-out	Expose	Embedde	d						
2. Chipping	Included	Not Includ	ed						
3. Fabricated Bracket	Yes S	hop Site	No						
4. Service Ledge	Yes	No							
Dismantling of existing Aircon	Included	Not Includ	ed 4						
6. Ducting	Yes	No		P					
Dimension :		- final and a second							
7. Plastering, carpentry and restoration wo									
8. Wiring of electrical supply from main pa	nel to air-condition	ning unit are to be do	ne by the cust	omer.					
9. Processing of mechanical plan, working	permit, electrical	permit are to be done		mer.					
10. Other concern; CUSTOWERZ	MEED 1	5 PROVIDE	POWEK -	MITON					
		The state of the s							
TO OWTDOOR	Brey A	TIMBS FOR	DARINI	145					



Indoor Unit Location

Outdoor Unit Location

Up OF POLL-UP BETON WILHOUTYPE.

Pipe Length

Special Note

In	stallation Cost Estimate					
Material Description			Unit Cost	Total Cost		
Copper Tube (excess of 10 ft.)	2330, 2430 2520, 3520, 4620	3017	400	12000		
Wire (Royal Cord-signal wire) (excess of 10ft.)	2.0mmx4C	37:57	100	3700		
Wire (Royal Cord - Breaker to ODU)	3.5mm / 5.5mm x 3C	77	60	420		
Circuit Breaker	20A, 30A) 4(A/1ph, 40A/3ph	7	1000	1000		
Bracket (ODU)	(Imptd.) Feoricated); (Floor FWall)			6		
Bracket (WAC)	Angle Type					
PVC Pipe (drain)	1/2" , 3/4"			6.0000		
PVC Pipe (electrical)	3/4" , 1"		Total Salar Salar			
Drain Pump						
Drain Fine Hose WHTCIN		7+1	75	175		
Chipping Works	mtr.					
Dismantling Fee (existing air-conditioner)						
Initial Charge				8,500		
TOTAL FOR 3	OTAL FOR 3HP -> TOTAL ESTIMATE			P 28, 795 -		

## Note

 Initial Charge includes labor, 10ft. Copper tube, 10ft. Royal cord, Outdoor Bracket (SAC), Indoor Bracket (PAC) and Consumable materials.

2. Survey fee will be deducted in the installation fee.

Prepared by:

DNOIPS
Signature Over Printed Name

Customer Conforme:

SEND TO CUSTOMEN Signature Over Printed Name VIISEN # . 0920 - 2755708