

## OFFICIAL PRICELIST

March 1, 2026

WINDOW TYPE AIRCONDITIONERS (REGULAR)			
KA-60MEMC32	0.60hp (6,200 kJ/h)	COMPACT SIZE AIRCON, R32 REFRIGERANT	10,995
KAM-75CMC32	0.75hp (7,385 kJ/h)		14,995
KAM-95CMC32	1.0hp (9,495 kJ/h)		16,595
KAM-150CMC32	1.5hp (12,660 kJ/h)		20,995
KAM-75DRC32	0.75hp (7,385 kJ/h)	COMPACT SIZE AIRCON, R32 REFRIGERANT WITH REMOTE	16,995
KAM-100DRC32	1.0hp (9,495 kJ/h)		18,495
KAM-150DRC32	1.5hp (12,660 kJ/h)		22,995
KAM-200DRC32	2.0hp (19,518 kJ/h)		31,595
CREO SERIES - WINDOW TYPE FULL DC INVERTER (BASIC)			
KA-75MCARINV32	0.75hp (8,400 kJ/h)	INVERTER (REMOTE CONTROLLED), 5 STAR CSPF RATING, R32 REFRIGERANT, SIDE DISCHARGE DESIGN, ECO MODE	22,995
KA-100MCARINV32	1.0hp (9,700 kJ/h)		25,695
KA-150MCARINV32	1.5hp (12,800 kJ/h)		28,695
KA-200MCARINV32	2.0hp (19,800 kJ/h)		37,695
QUAD SERIES - WINDOW TYPE FULL DC INVERTER (WITH WIFI)			
KAG-75WCINV	0.75hp (8,900 kJ/h)	5 STAR CSPF RATING, R32 REFRIGERANT, INVERTER WITH WIFI (SMART CONTROLLED)	26,595
KAG-100WCINV	1.0hp (10,200 kJ/h)		29,495
KAG-145WCINV	1.5hp (13,210 kJ/h)		33,495
KAG-200WCINV	2.0hp (19,080 kJ/h)		44,195
KAG-250WCINV	2.5hp (24,120 kJ/h)		49,495
CERTUS AI - SPLIT-TYPE (FULL-DC INVERTER)			
KS-IW10-MCAI12O1M32	1.0hp (9,800 kJ/h)	5 STAR CSPF RATING, FULL DC INVERTER WITH AI, R32 REFRIGERANT WITH WIFI (SMART CONTROLLED)	30,995
KS-IW15-MCAI12O1M32	1.5hp (12,880 kJ/h)		33,995
KS-IW20-MCAI12O1M32	2.0hp (19,000 kJ/h)		42,995
KS-IW25-MCAI12O1M32	2.5hp (23,800 kJ/h)		50,995
PRIMUS GOLD - SPLIT TYPE (FULL DC INVERTER WITH WIFI)			
KSG-IWF-10Wfy8K1M32	1.0hp (10,440 kJ/h)	5 STAR CSPF RATING, R32 REFRIGERANT 3DC WALL MOUNTED SPLIT TYPE INVERTER AC WITH WIFI (SMART CONTROLLED)	43,595
KSG-IWF-15Wfy8K1M32	1.5hp (12,960 kJ/h)		47,595
KSG-IWF-20Wfy8K1M32	2.0hp (19,000 kJ/h)		60,595
KSG-IWF-25Wfy8K1M32	2.5hp (25,560 kJ/h)		70,495
KSG-IWF-30Wfy8K1M32	3.0hp (29,500 kJ/h)		78,095
PORTABLE AIRCON			
KPA-100-R10N410	1.0hp (9,495 kJ/h)	NON-INVERTER PORTABLE AIRCON, R410a REFRIGERANT, WITH SELF EVAPORATING SYSTEM AND REMOTE CONTROL	21,495
KPA-150-R15D410	1.5hp (12,660 kJ/h)		25,495

**LEGEND:**

\* NEW PRODUCT / NEW MODEL




**K** Kolin Philippines Int'l., Inc.

Plant and Head Office:  
Blk 3 Lt 5 Main Drive, FCIE Compound,  
Brgy. Langkaan I, Dasmariñas, Cavite  
Tel.: (632) 8749-2118  
Fax (046) 402-0793  
www.kolinphil.com.ph / kolinphilippines

Operation Office:  
1854 Sta. Rita St., Guadalupe Nuevo,  
Makati City  
Tel.: (632) 8851-2711, 12 or 15  
Fax: (632) 8852-2170  
Sales Dept. Fax: (632) 8852-4791





# OFFICIAL PRICELIST

March 1, 2026

VERSAMATCH AIR CONDITIONER			
OUTDOOR UNIT			
KVM-20VAH1M-O	2.0hp (18,990 kJ/h)	VERSAMATCH INVERTER (OUTDOOR), 230V/60HZ, R32	43,995
KVM-30VAH1M-O	3.0hp (28,485 kJ/h)		61,495
KVM-40VAH1M-O	4.0hp (37,980 kJ/h)		81,995
KVM-50VAH1M-O	5.0hp (47,475 kJ/h)		112,995
INDOOR UNIT			
KVM-10IWAH-I	1.0hp (9,495 kJ/h)	SPLIT TYPE: IONIZER, QUIET OPERATION, STYLISH DESIGN, AUTO SWING	11,495
KVM-15IWAH-I	1.5hp (12,660 kJ/h)		13,495
KVM-20IWAH-I	2.0hp (18,990 kJ/h)		16,495
KVM-25IWAH-I	2.5hp (23,210 kJ/h)		20,495
KVM-10ISAH-I	1.0hp (9,495 kJ/h)	CEILING CASSETTE: BUILT-IN DRAIN PUMP , 360° AIRFLOW, QUIET OPERATION, AUTO SWING	30,595
KVM-15ISAH-I	1.5hp (12,660 kJ/h)		32,595
KVM-20ISAH-I	2.0hp (18,990 kJ/h)		36,595
KVM-25ISAH-I	2.5hp (23,210 kJ/h)		40,595
KVM-10ICAH-I	1.0hp (9,495 kJ/h)	FLOOR/CEILING: FOUR-WAY AIRFLOW, QUIET OPERATION, LEFT AND RIGHT DRAINING POSITION, VERSATILE INSTALLATION, AUTO SWING	26,595
KVM-15ICAH-I	1.5hp (12,660 kJ/h)		28,595
KVM-20ICAH-I	2.0hp (18,990 kJ/h)		30,595
KVM-25ICAH-I	2.5hp (23,210 kJ/h)		35,595
KVM-10IDAH-I	1.0hp (9,495 kJ/h)	CEILING CONCEALED: SPACE SAVING DESIGN, QUIET OPERATION, WIRED CONTROLLER	23,595
KVM-15IDAH-I	1.5hp (12,660 kJ/h)		25,595
KVM-20IDAH-I	2.0hp (18,990 kJ/h)		28,595
FLOOR MOUNTED TYPE AIRCONDITIONERS			
KL-IF40-G6H1M32	3 TONS, (4hp) 1 PHASE, SIDE DISCHARGE	INVERTER FLOOR MOUNTED	108,995
KL-IF60-G6H1M32	5 TONS, (6hp) 1 PHASE, SIDE DISCHARGE		168,995
KLK-IF100-4F3M410	7.5 TONS, (10hp) 3 PHASE, SIDE DISCHARGE		319,995
FLOOR / CEILING TYPE AIRCONDITIONERS			
KLM-IC40-AA1M32	3 TONS, (4hp) 1 PHASE, SIDE DISCHARGE	INVERTER FLOOR CEILING	119,995
KLM-IC60-AA1M32	5 TONS, (6hp) 1 PHASE, SIDE DISCHARGE		154,995
CEILING CASSETTE TYPE AIRCONDITIONERS			
KLM-IS40-AA1M32	3 TONS, (4hp) 1 PHASE, SIDE DISCHARGE	INVERTER CEILING CASSETTE	121,995
KLM-IS60-AA1M32	5 TONS, (6hp) 1 PHASE, SIDE DISCHARGE		157,995
AIR CURTAIN			
KAC-36TCRM	36 INCHES	ALUMINUM BODY, CENTRIFUGAL MOTOR, MAGNETIC SWITCH, REMOTE CONTROL	14,995
KAC-48TCRM	48 INCHES		17,595
REFRIGERATOR			
KRD-80GPC600	PERSONAL REFRIGERATOR	80 L, R600a, GRAY, POWDER COATING	7,995
KRD-80BVC600		80 L, R600a, BRUSHED DARK ALUMINUM, VINYL COATING	8,495

**LEGEND:**

\* NEW PRODUCT / NEW MODEL

**K** Kolin Philippines Int'l., Inc.

Plant and Head Office:

Blk 3 Lt 5 Main Drive, FCIE Compound,  
Brgy. Langkaan I, Dasmariñas, Cavite

Tel.: (632) 8749-2118

Fax (046) 402-0793

www.kolinphil.com.ph / kolinphilippines

Operation Office:

1854 Sta. Rita St., Guadalupe Nuevo,  
Makati City

Tel.: (632) 8851-2711, 12 or 15

Fax: (632) 8852-2170

Sales Dept. Fax: (632) 8852-4791





# OFFICIAL PRICELIST

March 1, 2026

SHOWCASE CHILLER			
KSD-200MG1	DIRECT COOLING NON-INVERTER	200L, R600a, COMPACT DESIGN	23,595
KSD-240MG1		240L, R600a, COMPACT DESIGN	25,595
KSIF-255WB1	NO FROST INVERTER	255L, R600a, INTELLIGENT FAN SYSTEM	32,595
KSIF-315WB1		315L, R600a, INTELLIGENT FAN SYSTEM	35,295
KSIF-405WB1		405L, R600a, INTELLIGENT FAN SYSTEM	39,295
KSIF-762WB2	NO FROST DOUBLE DOOR	762L, R290, DOUBLE GLASS DOOR	68,995
AIR PURIFIER			
KAP-500CHCPUV	AIR PURIFIER WITH UV 220V / 60Hz / 80W		11,650
WATER DISPENSER			
KWD-BLC-2088B	BLACK - BOTTOM LOAD	HOT, WARM & COLD WATER DISPENSER, 230V / 60Hz, ROTATING WATER TAPS	8,695
KWD-BLC-3088S	SILVER - BOTTOM LOAD	HOT, WARM & COLD WATER DISPENSER, 230V / 60Hz, ROTATING WATER TAPS	8,695
COFFEE/TEA BAR			
KCB-BLC-8859T	HOT, WARM & COLD WATER DISPENSER, TITANIUM, REMOTE CONTROLLED, WITH FREE BORON GLASS KETTLE & ELECTRIC KETTLE 230V / 60Hz (BOTTOM LOADING)		11,495
EVAPORATIVE INVERTER AIR COOLER			
KEA-25BWR	13L, 2,500 m3/h AIRFLOW, AC (1 PHASE / 230V / 60Hz), 45 WATTS 9 FAN SPEEDS, REMOTE CONTROLLED, WITH IONIZER		8,995
KEA-50BLRDCA	45L, 5,000 m3/h AIRFLOW, AC (1 PHASE / 230V / 60Hz), DC 12V, 100 WATTS 6 FAN SPEEDS, REMOTE CONTROLLED		16,995
KEA-60BDRDCA	60L, 6,000 m3/h AIRFLOW, AC (1 PHASE / 230V / 60Hz), DC 12V, 100 WATTS 6 FAN SPEEDS, REMOTE CONTROLLED		19,995
KEA-120BDR	100L, 12,500 m3/h AIRFLOW, AC (1 PHASE / 230V / 60Hz), 320 WATTS 6 FAN SPEEDS, REMOTE CONTROLLED		27,995
AIR COOLER WITH PURIFIER			
KEA-4512V6BRAC	45L, 75 m3/min AIRFLOW, AC (1 PHASE / 230V / 60Hz), 180 WATTS 4 FAN SPEEDS, REMOTE CONTROLLED, WITH PURIFIER		16,495
KEA-4515V6BRAC	45L, 75 m3/min AIRFLOW, AC (1 PHASE / 230V / 60Hz), 180 WATTS 4 FAN SPEEDS, REMOTE CONTROLLED, WITH PURIFIER		18,495
AIR CIRCULATOR			
KCF-10TRD	TRIPOD - 10 INCHES	DC INVERTER MOTOR, 24W, 9 SPEED, 3D OSCILLATION, REMOTE CONTROLLED	4,195
KCF-14WRWDC	WALL - 14 INCHES	DC INVERTER MOTOR, 41W, AXIAL FAN BLADES AND SPIRAL GRILLE DESIGN, 8 FAN SPEED, 3D OSCILLATION, REMOTE CONTROLLED	4,695
KCF-12SRWDC	STAND - 12 INCHES	DC INVERTER MOTOR, 29W, AXIAL FAN BLADES AND SPIRAL GRILLE DESIGN, 8 FAN SPEED, 3D OSCILLATION, REMOTE CONTROLLED	4,995
KCF-14SRGDC	STAND - 14 INCHES	DC INVERTER MOTOR, 37W, AXIAL FAN BLADES AND SPIRAL GRILLE DESIGN, 8 FAN SPEED, 3D OSCILLATION, REMOTE CONTROLLED	5,995
KCF-10TRGDC	TABLE TOP - 10 INCHES	DC INVERTER MOTOR, 22W, AXIAL FAN BLADES AND SPIRAL GRILLE DESIGN, 10 FAN SPEED, TOUCH CONTROL PANEL/REMOTE CONTROLLED	2,995
AIR PURIFIER AND CIRCULATOR			
KCF-09APRBDC	DC INVERTER MOTOR, 66W, MULTI-STAGE FILTRATION SYSTEM, FILTER, RELOADED, 7/4 FAN SPEEDS, SOFT TOUCH CONTROL PANEL/REMOTE CONTROLLED		9,995
INDUSTRIAL FAN			
KIF-20WMBBLDC	WALL - 20 INCHES	2m FAN SWITCH CORD, BLDC INVERTER TECHNOLOGY, OSCILLATION SWITCH, 4 FAN SPEED, 360° POWER KNOB, POWDER COATED ALUMINUM CAST BLADE	6,195
KIF-26WMBBLDC	WALL - 26 INCHES	2m FAN SWITCH CORD, BLDC INVERTER TECHNOLOGY, OSCILLATION SWITCH, 4 FAN SPEED, 360° POWER KNOB, POWDER COATED ALUMINUM CAST BLADE	7,395
KIF-20SMBBLDC	STAND - 20 INCHES	BLDC INVERTER TECHNOLOGY, OSCILLATION SWITCH, 4 FAN SPEED, 360° POWER KNOB, POWDER COATED ALUMINUM CAST BLADE	6,395
KIF-26SMBBLDC	STAND - 26 INCHES	BLDC INVERTER TECHNOLOGY, OSCILLATION SWITCH, 4 FAN SPEED, 360° POWER KNOB, POWDER COATED ALUMINUM CAST BLADE	7,695
HOUSEHOLD FAN			
KF-16SMBDC	STAND - 16 INCHES	DC INVERTER MOTOR, 42W, 3 FAN SPEED, ADJUSTABLE STAND, WEIGHTED BASE	3,295
KF-18SMBDC	STAND - 18 INCHES	DC INVERTER MOTOR, 44W, STEPLESS SPEED, ADJUSTABLE STAND, WEIGHTED BASE	4,195
DEHUMIDIFIER			
KD-30L410	30L/DAY, DC FAN TECHNOLOGY, SOFT TOUCH PANEL, HUMIDITY CONTROL		15,495

- NOTES : 1. ABOVE MODELS, PRICES, AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.  
2. ORDERS ARE SUBJECT TO AVAILABILITY OF STOCKS.

LEGEND:

\* NEW PRODUCT / NEW MODEL

Noted by:

MR. CHRISTIAN KEITH SARMIENTO  
AVP-SALES

Approved by:

MR. OLIVER M. FILOTEO  
PRESIDENT & CEO

Kolin Philippines Int'l., Inc.

Plant and Head Office:  
Blk 3 Lt 5 Main Drive, FCIE Compound,  
Brgy. Langkaan I, Dasmariñas, Cavite  
Tel.: (632) 8749-2118  
Fax (046) 402-0793

www.kolinphil.com.ph / kolinphilippines

Operation Office:  
1854 Sta. Rita St., Guadalupe Nuevo,  
Makati City  
Tel.: (632) 8851-2711, 12 or 15  
Fax: (632) 8852-2170  
Sales Dept. Fax: (632) 8852-4791

