

Customer		Address		Tel. No.		Mobile No.		Contact Person		Model		S/N (I)		S/N (O)		Dealer		Installer		Complaint		Before		After		No. of Visit		Tentative Sched		Mode Setting (Cool)		WAC   Setting Temp (16°C-RE)/(10-ME)		SAC/PAC   Setting Temp (17°)		Discharge Temperature (High)		Intake Temperature (High)		Ampere		WAC   Wattage (Inverter)		Voltage		SAC/PAC   Pressure			
OG Holiday Spa		150 D Tuazon Street, Brgy. Lourdes, QUEZON CITY, Metro Manila				0921-8169405		Jonathan		KAG-250ME		13611011-11670		Unit#5, Ground Floor		DOP		Weak Cooling		DRAINAGE PLUG & POSSIBLE PARTS FOR COLLECTION		11/02/2022		Cool		10-ME		FOR RUBBER DRAIN PLUG																					
Date		Start Time		End Time		Relayed by		Warranty Type		Job Class		Job Type		Permit? <input type="checkbox"/>		Parking? <input type="checkbox"/>		Appointment? <input type="checkbox"/>		O.R.? <input type="checkbox"/>		Ladder? <input type="checkbox"/>																											
10-28-2022		05:11 pm		05:14 pm		VIDAL LOJERO				18		FD																																					
Notes:		MORNING ONLY BRING 2 PCS THER		MORNING ONLY BRING 2 PCS THER																																													
Part Code		Description		Qty		Unit Price		Amount																																									
		RUBBER DRAIN PLUG		1		P 220.00		P 220.00																																									
SR No.		Repair Done		Repair Code		Date Attended		Date Finished		Time Attended		Time Finished		Amount Paid		Balance		Bank / Branch		Labor		Handling		Others		Total		Amount Paid		Balance		Bank / Branch		Labor		Handling		Others		Total		Amount Paid		Balance		Bank / Branch			
		PUT RUBBER DRAIN PLUG				11/12/2022		11/16/2022		2:45 PM		3:30 PM		FOR COLLECTION		P 1,120.00				P 900.00						P 1,120.00		FOR COLLECTION		P 1,120.00																			
This serves as temporary receipt when properly filled up by authorized representative.		Check No.		Bank / Branch		Created by:		Conformed by:		Customer																																							
Serviced by:		10260 REPATA		PLACIENTE		LUIS REBUYAS		Jonathan		Customer																																							
Technician(s)		CSR																																															