

OFFICIAL PRICELIST

June 16, 2025

MODEL	WINDOW TYPE AIRCONDITIONERS (REGULAR)		SRP
KAM-55CMC32	0.60hp (5,900 kJ/h)	COMPACT SIZE AIRCON, R32 REFRIGERANT	10,695
KAM-75CMC32	0.75hp (7,385 kJ/h)		14,695
KAM-95CMC32	1.0hp (9,495 kJ/h)		16,195
KAM-150CMC32	1.5hp (12,660 kJ/h))		20,495
KAM-75DRC32	0.75hp (7,385 kJ/h)	COMPACT SIZE AIRCON, R32 REFRIGERANT WITH REMOTE	16,595
KAM-100DRC32	1.0hp (9,495 kJ/h)		17,995
KAM-150DRC32	1.5hp (12,660 kJ/h)		22,495
KAM-200DRC32	2.0hp (19,518 kJ/h)		30,995
MODEL	QUAD SERIES - WINDOW TYPE FULL DC INVERTER (WITH WIFI)		
KAG-75WCINV	0.75hp (8,900 kJ/h)	5 STAR CSPF RATING, R32 REFRIGERANT, INVERTER WITH WIFI (SMART CONTROLLED)	26,195
KAG-100WCINV	1.0hp (10,200 kJ/h)		28,995
KAG-145WCINV	1.5hp (13,210 kJ/h)		32,995
KAG-200WCINV	2.0hp (19,080 kJ/h)		43,595
KAG-250WCINV	2.5hp (24,120 kJ/h)		48,695
MODEL	CREO SERIES - WINDOW TYPE FULL DC INVERTER (BASIC)		
KA-75MCARINV32	0.75hp (8,400 kJ/h)	INVERTER (REMOTE CONTROLLED), 5 STAR CSPF RATING, R32 REFRIGERANT, SIDE DISCHARGE DESIGN, ECO MODE	22,495
KA-100MCARINV32	1.0hp (9,700 kJ/h)		24,995
KA-150MCARINV32	1.5hp (12,800 kJ/h)		27,995
KA-200MCARINV32	2.0hp (19,800 kJ/h)		36,995
MODEL	WALL MOUNTED SPLIT-TYPE AIRCONDITIONERS (REGULAR INVERTER)		
KSM-IW10-WCT10M1M32	1.0hp (9,800 kJ/h)	5 STAR CSPF RATING, R32 REFRIGERANT WITH WIFI (SMART CONTROLLED) CERTUS	29,995
KSM-IW15-WCT10M1M32	1.5hp (12,660 kJ/h)		32,995
KSM-IW20-WCT10M1M32	2.0hp (18,990 kJ/h)		41,995
KSM-IW25-WCT10M1M32	2.5hp (23,210 kJ/h)		49,995
MODEL	WALL MOUNTED SPLIT TYPE FULL DC INVERTER WITH WIFI		
KSG-IWF-10Wfy8K1M32	1.0hp (10,440 kJ/h)	5 STAR CSPF RATING, R32 REFRIGERANT 3DC WALL MOUNTED SPLIT TYPE INVERTER AC WITH WIFI (SMART CONTROLLED) PRIMUS GOLD	42,595
KSG-IWF-15Wfy8K1M32	1.5hp (12,960 kJ/h)		46,595
KSG-IWF-20Wfy8K1M32	2.0hp (19,000 kJ/h)		59,595
KSG-IWF-25Wfy8K1M32	2.5hp (25,560 kJ/h)		68,995
KSG-IWF-30Wfy8K1M32	3.0hp (29,500 kJ/h)		76,595
MODEL	VERSAMATCH AIR CONDITIONER		
OUTDOOR UNIT			
KVM-20VAH1M-O	2.0hp (18,990 kJ/h)	VERSAMATCH INVERTER (OUTDOOR), 230V/60HZ, R32	42,995
KVM-30VAH1M-O	3.0hp (28,485 kJ/h)		59,995
KVM-40VAH1M-O	4.0hp (37,980 kJ/h)		79,995
KVM-50VAH1M-O	5.0hp (47,475 kJ/h)		109,995

LEGEND:

* NEW PRODUCT / NEW MODEL

 Kolin Philippines Int'l., Inc.

Plant and Head Office:
Blk 3 Lt 5 Main Drive, FCIE Compound,
Brgy. Langkaan I, Dasmariñas, Cavite

Tel.: (632) 8749-2118

Fax (046) 402-0793

www.kolinphil.com.ph / kolinphilippines

Operation Office:
1854 Sta. Rita St., Guadalupe Nueva,
Makati City

Tel.: (632) 8851-2711, 12 or 15

Fax: (632) 8852-2170

Sales Dept. Fax: (632) 8852-4791



OFFICIAL PRICELIST

June 16, 2025

MODEL	VERSAMATCH AIR CONDITIONER		
INDOOR UNIT			
KVM-10IWAH-I	1.0hp (9,495 kJ/h)	SPLIT TYPE: IONIZER, QUIET OPERATION, STYLISH DESIGN, AUTO SWING	10,995
KVM-15IWAH-I	1.5hp (12,660 kJ/h)		12,995
KVM-20IWAH-I	2.0hp (18,990 kJ/h)		15,995
KVM-25IWAH-I	2.5hp (23,210 kJ/h)		19,995
KVM-10ISAH-I	1.0hp (9,495 kJ/h)	CEILING CASSETTE: BUILT-IN DRAIN PUMP , 360° AIRFLOW, QUIET OPERATION, AUTO SWING	29,995
KVM-15ISAH-I	1.5hp (12,660 kJ/h)		31,995
KVM-20ISAH-I	2.0hp (18,990 kJ/h)		35,995
KVM-25ISAH-I	2.5hp (23,210 kJ/h)		39,995
KVM-10ICAH-I	1.0hp (9,495 kJ/h)	FLOOR/CEILING: FOUR-WAY AIRFLOW, QUIET OPERATION, LEFT AND RIGHT DRAINING POSITION, VERSATILE INSTALLATION, AUTO SWING	25,995
KVM-15ICAH-I	1.5hp (12,660 kJ/h)		27,995
KVM-20ICAH-I	2.0hp (18,990 kJ/h)		29,995
KVM-25ICAH-I	2.5hp (23,210 kJ/h)		34,995
KVM-10IDAH-I	1.0hp (9,495 kJ/h)	CEILING CONCEALED: SPACE SAVING DESIGN, QUIET OPERATION, WIRED CONTROLLER	22,995
KVM-15IDAH-I	1.5hp (12,660 kJ/h)		24,995
KVM-20IDAH-I	2.0hp (18,990 kJ/h)		27,995
MODEL	FLOOR MOUNTED TYPE AIRCONDITIONERS		SRP
KLK - SF40 - WBR6H1M32	3 TONS, (4hp) 1 PHASE, SIDE DISCHARGE	REGULAR FLOOR MOUNTED	80,495
MODEL	FLOOR MOUNTED TYPE AIRCONDITIONERS		
KLK - IF40 - 5G1M32	3 TONS, (4hp) 1 PHASE, SIDE DISCHARGE	INVERTER FLOOR MOUNTED	113,195
KL - IF60 - G6H1M32	5 TONS, (6hp) 1 PHASE, SIDE DISCHARGE		165,995
KLK - IF100 - 4F3M410	7.5 TONS,(10hp) 3 PHASE, SIDE DISCHARGE		319,995
MODEL	FLOOR / CEILING TYPE AIRCONDITIONERS		
KLM - IC40 - AA1M32	3 TONS, (4hp) 1 PHASE , SIDE DISCHARGE	INVERTER FLOOR CEILING	117,995
KLM - IC60 - AA1M32	5 TONS, (6hp) 1 PHASE, SIDE DISCHARGE		151,995
MODEL	CEILING CASSETTE TYPE AIRCONDITIONERS		
KLM - IS40 - AA1M32	3 TONS, (4hp) 1 PHASE, SIDE DISCHARGE	INVERTER CEILING CASSETTE	119,995
KLM - IS60 - AA1M32	5 TONS, (6hp) 1 PHASE, SIDE DISCHARGE		154,995
MODEL	PORTABLE AIRCON		
KPA-100-R10N410	1.0hp (9,495 kJ/h)	NON-INVERTER PORTABLE AIRCON, R410a REFRIGERANT, WITH SELF EVAPORATING SYSTEM AND REMOTE CONTROL	20,995
KPA-150-R15D410	1.5hp(12,660 kJ/h)		24,995
MODEL	AIR CURTAIN		SRP
KAC - 36TCRM	36 INCHES	ALUMINUM BODY, CENTRIFUGAL MOTOR, MAGNETIC SWITCH, REMOTE CONTROL	14,595
KAC - 48TCRM	48 INCHES		17,195
MODEL	REFRIGERATOR		
KRD - 80GPC600	PERSONAL REFRIGERATOR	80 L, R600a, GRAY, POWDER COATING	7,995
KRD - 80BVC600		80 L, R600a, BRUSHED DARK ALUMINUM, VINYL COATING	8,495

LEGEND:

* NEW PRODUCT / NEW MODEL

K Kolin Philippines Int'l., Inc.

Plant and Head Office:
Blk 3 Lt 5 Main Drive, FCIE Compound,
Brgy. Langkaan I, Dasmariñas, Cavite

Tel: (632) 8749-2118

Fax (046) 402-0793

www.kolinphil.com.ph / kolinphilippines

Operation Office:
1854 Sta. Rita St., Guadalupe Nueva,
Makati City

Tel: (632) 8851-2711, 12 or 15

Fax: (632) 8852-2170

Sales Dept. Fax: (632) 8852-4791




OFFICIAL PRICELIST

June 16, 2025

MODEL	SHOWCASE CHILLER		
KSD-200MG1	DIRECT COOLING NON-INVERTER	200L, R600a, COMPACT DESIGN	22,995
KSD-240MG1		240L, R600a, COMPACT DESIGN	24,995
KSIF-255WB1	NO FROST INVERTER	255L, R600a, INTELLIGENT FAN SYSTEM	31,995
KSIF-315WB1		315L, R600a, INTELLIGENT FAN SYSTEM	34,495
KSIF-405WB1		405L, R600a, INTELLIGENT FAN SYSTEM	38,495
KSIF-762WB2	NO FROST DOUBLE DOOR	762L, R290, DOUBLE GLASS DOOR	67,995 *
MODEL	AIR PURIFIER		
KAP-500CHCPUV	AIR PURIFIER WITH UV 220V / 60Hz / 80W		11,650
MODEL	WATER DISPENSER		
KWD-BLC-2088B	BLACK - BOTTOM LOAD	HOT, WARM & COLD WATER DISPENSER, 230V / 60Hz, ROTATING WATER TAPS	8,495
KWD-BLC-3088S	SILVER - BOTTOM LOAD	HOT, WARM & COLD WATER DISPENSER, 230V / 60Hz, ROTATING WATER TAPS	8,495
MODEL	COFFEE/TEA BAR		
KCB-BLC-8859T	HOT, WARM & COLD WATER DISPENSER, TITANIUM, REMOTE CONTROLLED, WITH FREE BORON GLASS KETTLE & ELECTRIC KETTLE 230V / 60Hz (BOTTOM LOADING)		10,995
MODEL	EVAPORATIVE INVERTER AIR COOLER		
KEA-25BWR	13L, 2,500 m3/h AIRFLOW, AC (1 PHASE / 230V / 60Hz), 45 WATTS 9 FAN SPEEDS, REMOTE CONTROLLED, WITH IONIZER		8,795
KEA - 50BLRDCA	45L, 5,000 m3/h AIRFLOW, AC (1 PHASE / 230V / 60Hz), DC 12V, 100 WATTS 6 FAN SPEEDS, REMOTE CONTROLLED		16,495
KEA - 60BDRDCA	60L, 6,000 m3/h AIRFLOW, AC (1 PHASE / 230V / 60Hz), DC 12V, 100 WATTS 6 FAN SPEEDS, REMOTE CONTROLLED		19,495
KEA-120BDR	100L, 12,500 m3/h AIRFLOW, AC (1 PHASE / 230V / 60Hz), 320 WATTS 6 FAN SPEEDS, REMOTE CONTROLLED		27,495
MODEL	AIR CIRCULATOR		
KCF-10SRD	STAND - 10 INCHES	DC INVERTER MOTOR, 24W, 9 SPEED, 3D OSCILLATION, REMOTE CONTROLLED	4,195
KCF-10TRD	TRIPOD - 10 INCHES	DC INVERTER MOTOR, 24W, 9 SPEED, 3D OSCILLATION, REMOTE CONTROLLED	4,195
KCF-14WRWDC	WALL - 14 INCHES	DC INVERTER MOTOR, 41W, AXIAL FAN BLADES AND SPIRAL GRILLE DESIGN, 8 FAN SPEED, 3D OSCILLATION, REMOTE CONTROLLED	4,695
KCF-12SRWDC	STAND - 12 INCHES	DC INVERTER MOTOR, 29W, AXIAL FAN BLADES AND SPIRAL GRILLE DESIGN, 8 FAN SPEED, 3D OSCILLATION, REMOTE CONTROLLED	4,995
KCF-14SRGDC	STAND - 14 INCHES	DC INVERTER MOTOR, 37W, AXIAL FAN BLADES AND SPIRAL GRILLE DESIGN, 8 FAN SPEED, 3D OSCILLATION, REMOTE CONTROLLED	5,995
MODEL	INDUSTRIAL FAN		
KIF-20WMBBLDC	WALL - 20 INCHES	2m FAN SWITCH CORD, BLDC INVERTER TECHNOLOGY, OSCILLATION SWITCH, 4 FAN SPEED, 360° POWER KNOB, POWDER COATED ALUMINUM CAST BLADE	5,995
KIF-26WMBBLDC	WALL - 26 INCHES	2m FAN SWITCH CORD, BLDC INVERTER TECHNOLOGY, OSCILLATION SWITCH, 4 FAN SPEED, 360° POWER KNOB, POWDER COATED ALUMINUM CAST BLADE	7,195
KIF-20SMBBLDC	STAND - 20 INCHES	BLDC INVERTER TECHNOLOGY, OSCILLATION SWITCH, 4 FAN SPEED, 360° POWER KNOB, POWDER COATED ALUMINUM CAST BLADE	6,195
KIF-26SMBBLDC	STAND - 26 INCHES	BLDC INVERTER TECHNOLOGY, OSCILLATION SWITCH, 4 FAN SPEED, 360° POWER KNOB, POWDER COATED ALUMINUM CAST BLADE	7,495
MODEL	HOUSEHOLD FAN		
KF-16SMBDC	STAND - 16 INCHES	DC INVERTER MOTOR, 42W, 3 FAN SPEED, ADJUSTABLE STAND, WEIGHTED BASE	3,295 *
KF-18SMBDC	STAND - 18 INCHES	DC INVERTER MOTOR, 44W, STEPLESS SPEED, ADJUSTABLE STAND, WEIGHTED BASE	4,195 *
MODEL	DEHUMIDIFIER		
KD-30L410	30L/DAY, DC FAN TECHNOLOGY, SOFT TOUCH PANEL, HUMIDITY CONTROL		14,995 *

NOTES : 1. ABOVE MODELS, PRICES, AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.
2. ORDERS ARE SUBJECT TO AVAILABILITY OF STOCKS.

LEGEND:

* NEW PRODUCT / NEW MODEL

Noted by:

MR. CHRISTIAN KEITH SARMIENTO
AVP-SALES

Approved by:

MR. OLIVER M. FLOTEO
CEO

K Kolin Philippines Int'l., Inc.

Plant and Head Office:

Blk 3 Lt 5 Main Drive, FCIE Compound,
Brgy. Langkaan I, Dasmariñas, Cavite

Tel: (632) 8749-2118

Fax (046) 402-0793

www.kolinphil.com.ph / kolinphilippines

Operation Office:

1854 Sta. Rita St., Guadalupe Nuevo,
Makati City

Tel: (632) 8851-2711, 12 or 15

Fax: (632) 8852-2170

Sales Dept. Fax: (632) 8852-4791

