

June 24, 2024

LUX ET SAL CORPORATION
DOMUSCHOLA INTERNATIONAL SCHOOL
13 JOSE CRUZ ST., BRGY. UGONG, PASIG CITY
TEL#: 0956-5106372/0922-8313293

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

## A. EQUIPMENT & INSTALLATION

\*\* PYP LIBRARY

		FIF LIDIANI			the same of the sa	
QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED PRICE		AMOUNT
2	UNIT/S	MODEL: KSG-IWF-20WFY-8K1M32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 19,000 Kj/h (2.0HP) FULL DC INVERTER W/ WIFI R-32	58,395.00	41,548.10	PHP	83,096.20
TOTAL UNIT COST						83,096.20
ESTIMATED COST OF INSTALLATION (please see attached)						57,750.00
OTHERS: DELIVERY CHARGE					PHP	600.00
TOTAL ESTIMATED COST OF THE PROJECT						141,446.20

## TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

## WARRANTY:

FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

INSTALLATION C/O AUTHORIZED SERVICE CENTER.

\*\* Cost of Installation is Package with the Unit(s), this cost cannot avail separately.

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi\_asst@kolinphil.com.ph

Very Truly Yours,

JANGLEN S. LIM KMI-ASSISTANT

Noted by;

MART NATHANIEL R. FLORES KMI-SUPERVISOR

THE REAL PROPERTY OF THE PROPE

KMI-QUOTE-06-24-0566

REG-22%/4K

Kolin Marketing, Inc.

1854 Sta. Rita St., Guadalupe Nuevo, Makati City

www.kolinphil.com.ph Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792

Approved By

MS. EDITHA M. FLORES

AVP - FINANCE

Conforme:

SIGNATURE OVER PRINTED NAME

ANNIVERSARY

Bringing comfort to your home

JUNE 21, 2024

LUX ET SAL CORPORATION(Domuschola International School)

13 Jose Cruz St., Brgy Ugong, Pasig City

0956-5106372/ 0922-8313293

winfred.libatique@domuschola.edu.ph


MODEL

Qty

KSG-IWF-20WFY8K1M32

2

P LIB	RARY	Area	92 sqm		
U 1	2.0 HP Wall Mounted Inverter KSG-IWF-20WFY8K1M32			With testing of the same	DARK C.
	Estimated Pipe Length =	37 ft			
	Estimated Royal Cord Length =	42 ft			
	Initial Charge				₱ 4,500.00
	Includes:				ng/Life
	Labor				
	10ft Copper Tube				
	10ft Royal Cord				
	Outdoor Bracket (Wall)				
	Consumables				
	Installation Materials	Description	Qty Price per qty	Subtotal	
	Copper Tube	Ø 1/4" x Ø 1/2"	27 ft ₱ 350.00/ft	₱ 9,450.00	
	Royal Cord (comm. wire)	2.mm2 x 4C	32 ft ₱ 100.00/ft	₱ 3,200.00	
	Royal Cord (ACCU-Breaker)	3.5mm x 3c	5 ft ₱ 60.00/ft	₱ 300.00	
	Rubber Insulation	2 1/8" x 3/4" x 6'	6 pc/s ₱ 350.00/pc	₱ 2,100.00	
	Circuit Breaker waterproof	30A / 1Ph	1 pc/s ₱ 1,000.00/pc	₱ 1,000.00	
	Dismantle	2.5HP Wall Mounted	1 set ₱ 2,500.00/set	₱ 2,500.00	
	Leaktest	2.0111 Wall Woulded	1 set P 1,800.00/set	₱ 1,800.00	₱ 20,350.00
	Loanost		1301 1 1,000.00/301	1,000.00	1 20,550.00
	Estimated Charges				₱ 24,850.0
					1 21,000.0
CU 2	2.0 HP Wall Mounted Inverter		KSG-IWF-20WFY8K1M32		21,000.0
CU 2	2.0 HP Wall Mounted Inverter	50 ft	KSG-IWF-20WFY8K1M32		2,,000.0
CU 2	2.0 HP Wall Mounted Inverter		KSG-IWF-20WFY8K1M32		27,000.0
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length =		KSG-IWF-20WFY8K1M32		₱ 4,500.00
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length =		KSG-IWF-20WFY8K1M32		
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge		KSG-IWF-20WFY8K1M32		
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes:		KSG-IWF-20WFY8K1M32		
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube		KSG-IWF-20WFY8K1M32		
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall)		KSG-IWF-20WFY8K1M32		
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord	55 ft		Subtotal	
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials	55 ft  Description	Qty Price per qty	Subtotal	
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube	Description Ø 1/4" x Ø 1/2"	Qty Price per qty 40 ft ₱ 350.00/ft	₱ 14,000.00	
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire)	Description Ø 1/4" x Ø 1/2" 2.mm2 x 4C	<b>Qty Price per qty</b> 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft	₱ 14,000.00 ₱ 4,500.00	
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker)	Description Ø 1/4" x Ø 1/2" 2.mm2 x 4C 3.5mm x 3c	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft 5 ft ₱ 60.00/ft	₱ 14,000.00 ₱ 4,500.00 ₱ 300.00	
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Rubber Insulation	Description Ø 1/4" x Ø 1/2" 2.mm2 x 4C 3.5mm x 3c 2 1/8" x 3/4" x 6'	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft 5 ft ₱ 60.00/ft 8 pc/s ₱ 350.00/pc	₱ 14,000.00 ₱ 4,500.00 ₱ 300.00 ₱ 2,800.00	
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Rubber Insulation Circuit Breaker waterproof	Description Ø 1/4" x Ø 1/2" 2.mm2 x 4C 3.5mm x 3c 2 1/8" x 3/4" x 6' 30A / 1Ph	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft 5 ft ₱ 60.00/ft 8 pc/s ₱ 350.00/pc 1 pc/s ₱ 1,000.00/pc	P       14,000.00         P       4,500.00         P       300.00         P       2,800.00         P       1,000.00	
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Rubber Insulation Circuit Breaker waterproof Dismantle	Description Ø 1/4" x Ø 1/2" 2.mm2 x 4C 3.5mm x 3c 2 1/8" x 3/4" x 6'	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft 5 ft ₱ 60.00/ft 8 pc/s ₱ 350.00/pc 1 pc/s ₱ 1,000.00/pc 1 set ₱ 2,500.00/set	₱ 14,000.00 ₱ 4,500.00 ₱ 300.00 ₱ 2,800.00 ₱ 1,000.00 ₱ 2,500.00	
CU 2	2.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Rubber Insulation Circuit Breaker waterproof	Description Ø 1/4" x Ø 1/2" 2.mm2 x 4C 3.5mm x 3c 2 1/8" x 3/4" x 6' 30A / 1Ph	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft 5 ft ₱ 60.00/ft 8 pc/s ₱ 350.00/pc 1 pc/s ₱ 1,000.00/pc	P       14,000.00         P       4,500.00         P       300.00         P       2,800.00         P       1,000.00	



Validity: This quotation is valid for a period of fifteen (15) days from the date thereof, subject to our confirmation thereafter.

## Installation notes:

- 1 Location of indoor and outdoor units were agreed by the customer and Kolin's surveyor.
- 2 Mechanical Plans, Permits, Electrical permits not included.
- 3 Bring harness and rope on the date of installation, for double check if coppertube is still seviceable for the new units.
- 4 Upon approval of installation, dismantle units and leaktesting of existing copper tube using nitrogen pressure, if pressure drop requires to lay out new copper tube.
- 5 . Need 4 pax. And Scaffoldings.target date JULY 12, 2024.
- 6 Deflectors, masonry, carpentry, chipping & plastering (finishing & restoration) are not included in the installation.
- 7 Air conditioning drain line and Electrical power supply (feeder line) 220v/ 60hz/ 1ph, should be provided by customer's contractor.
- 8 Final charges will be based on actual installation.

Engr. Kenneth Zamora Service/Supervisor Shop and

Field Operation

Prepared by:	Customer Conformee:	
Jeoffrey Dadios Field Surveyor	Signature Over Printed Name	
Revisited hy:		