

MR. MICHAEL CHIANG
UNIT 4218 DMCI ASTON PLACE, 862 B. DOMINGA ST. PASAY CITY TEL#: 0917-8632905

Dear Ma'am/Sir.

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION

		** OPTION 1				
QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED		AMOUNT
1	UNIT/S	MODEL: KSG-IWF-20WFY-8KIM32 KOUN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 19,000 Kj/h (2.0HP) FULL DC INVERTER W/ WIFI R-32	58,395.00	41,548.10	РНР	41,548.10
1	UNIT/S	MODEL: KSG-IWF-10WFY-8KIM32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 11,484 KJ/h (1.0HP) FULL DC INVERTER W/ WIFI R-32	41,695.00	28,522.10	PHP	28,522.10
1	UNIT/S	MODEL: KAG-100WCINV KOLIN WINDOW TYPE QUAD SERIES AIRCONDITIONER 10,200 KJ/h (1.0HP) FULL DC INVERTER W/ WIFI R-32 (WxXXH) 18"x25"x14"	28,195.00	20,692.10	PHP	20,692.10
TOTAL UNIT COST					PHP	90,762.30
ESTIMATED COST OF INSTALLATION (please see attached)					PHP	34,200.00
OTHERS: DELIVERY CHARGE					PHP	600.00
TOTAL ESTIMATED COST OF THE PROJECT PHP					125,562.30	

**	0	D	TI.	-	AI	

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED		AMOUNT
1	UNIT/S	MODEL: KSM-IW10-WCT10M1M32 KOLIN WALL MOUNTED CERTUS SERIES AIRCONDITIONER 9,800 KJ/h (1.0HP) REGULAR INVERTER R-32	29,495.00	19,006.10	PHP	19,006.10
1	UNIT/S	MODEL: KSM-IWZD-WCTIOMIM32 KOLIN WALL MOUNTED CERTUS SERIES AIRCONDITIONER 18,990 KJ/h (2.0HP) REGULAR INVERTER R-32	41,495.00	28,366.10	PHP	28,366.10
1	UNIT/S	MODEL: KAG-100WCINV KOUN WINDOW TYPE QUAD SERIES AIRCONDITIONER 10,200 KJ/h (1.0HP) FULL DC INVERTER W/ WIFI R-32 (WxDxt-1) 18"x25"x14"	28,195.00	20,692.10	PHP	20,692.10
DTAL UNIT COST					PHP	68,064.30
STIMATED COST OF INSTALLATION (please see attached)				PHP	40,200.00	
OTHERS: DELIVERY CHARGE				PHP	600.00	
OTAL ESTIMATED COST OF THE PROJECT				PHP	108,864.30	

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

WARRANTY:

FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR. FOR WINDOW TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

** Cost of Installation is Package with the Unit(s), this cost cannot avail separately.

ELECTRICAL AND CARPENTRY WORKS NOT INCLUDED.

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi_asst@kolinphil.com.ph

en Truly Yours,

ELLEN S. LIM

MART NATHA L R. FLORES KMI-SUPERVISOR

KMI-OLIOTE-05-24-0502

MS. EDITHAM. AVP - FINANCE

Conforme

SIGNATURE OVER PRINTED NAME

ANNIVERSARY

Kolin Marketing, Inc. 1854 Sta. Rita St., Guadalupe Nuevo, Makati City

www.kolinphil.com.ph Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792

Bringing comfort to your home.


MAY 28, 2024
MICHAEL CHIANG
Unit 4218 DMCI Aston Place, 862 B. Dominga St. Brgy Pasay
0917-8632905

mic@firstproperty.biz

MODEL Qty

KSG-IWF-20WFY8K1M32 1 KSG-IWF-10WFY8K1M32 1 KAG-100WCINV 1

	DINING/KITCHEN			Area	21 sqm
U 1	2.0 HP Wall Mounted Inverter		KSG-IWF-20WFY8K1M32		
		17 ft			
	Estimated Royal Cord Length =	22 ft			
	Initial Charge				₱ 4,500.00
	Includes:				
	Labor				
	10ft Copper Tube				
	10ft Royal Cord				
	Outdoor Bracket (Floor)				
	Consumables				
	Installation Materials	Description	Qty Price per qty	Subtotal	
	Copper Tube	Ø 1/4" x Ø 1/2"	7 ft 🖻 350.00/ft	₱ 2,450.00	
	Royal Cord (comm. wire)	2.mm2 x 4C	12 ft ₱ 100.00/ft	₱ 1,200.00	
	Royal Cord (ACCU-Breaker)	3.5mm x 3c	5 ft ₱ 60.00/ft	₱ 300.00	
	Circuit Breaker waterproof	30A / 1Ph	1 pc/s ₱ 1,000.00/pc	₱ 1,000.00	
	Drain Hose	White -1/2"	5 ft ₱ 25.00/ft	₱ 125.00	₱ 5,075.00
	Estimated Charges				₱ 9,575.0
DRO	OOM 1			Area	9 sqm
The second live of			144 - 44414/6/11/14		
U 2	1.0 HP Window type Inverter		KAG-100WCINV		B 4 000 00
The second live of	1.0 HP Window type Inverter Initial Charge		KAG-100WCINV		₱ 1,200.00
The second live of	Initial Charge		KAG-100WCINV		
The second live of	The state of the s		KAG-100WCINV		P 1,200.00
:U 2	Initial Charge Estimated Charges		KAG-100WCINV	Area	₱ 1,200.0
DRC	Initial Charge Estimated Charges DOM 2			Area	
:U 2	Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter	50 ft	KAG-100WCINV KSG-IWF-10WFY8K1M32	Area	₱ 1,200.0
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length =	50 ft 55 ft		Area	₱ 1,200.0
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length =			Area	7 sqm
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length =			Area	₱ 1,200.0
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge			Area	7 sqm
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor			Area	7 sqm
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube			Area	7 sqm
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord			Area	7 sqm
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Floor)			Area	7 sqm
DRC	Initial Charge Estimated Charges OOM 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Floor) Consumables	= 55 ft	KSG-IWF-10WFY8K1M32		7 sqm
DRC	Initial Charge Estimated Charges 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Floor) Consumables Installation Materials	Description	KSG-IWF-10WFY8K1M32 Qty Price per qty	Subtotal	7 sqm
DRC	Initial Charge Estimated Charges 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Floor) Consumables Installation Materials Copper Tube	Description Ø 1/4" x Ø 3/8"	Caty Price per qty 40 ft ₱ 350.00/ft	Subtotal ₱ 14,000.00	7 sqm
DRC	Initial Charge Estimated Charges 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Floor) Consumables Installation Materials Copper Tube Royal Cord (comm. wire)	Description Ø 1/4" x Ø 3/8" 2.mm2 x 4C	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft	Subtotal ₱ 14,000.00 ₱ 4,500.00	7 sqm
DRC	Initial Charge Estimated Charges 200M 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Floor) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker)	Description Ø 1/4" x Ø 3/8" 2.mm2 x 4C 3.5mm x 3c	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft 5 ft ₱ 60.00/ft	Subtotal ₱ 14,000.00 ₱ 4,500.00 ₱ 300.00	7 sqm
DRC	Initial Charge Estimated Charges 200M 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Floor) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof	Description Ø 1/4" x Ø 3/8" 2.mm2 x 4C 3.5mm x 3c 30A / 1Ph	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft 5 ft ₱ 60.00/ft pc/s ₱ 1,000.00/pc	Subtotal ₱ 14,000.00 ₱ 4,500.00 ₱ 300.00 ₱ 0.00	7 sqm 7 sqm P 4,500.00
DRC	Initial Charge Estimated Charges 200M 2 1.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Floor) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker)	Description Ø 1/4" x Ø 3/8" 2.mm2 x 4C 3.5mm x 3c	Qty Price per qty 40 ft ₱ 350.00/ft 45 ft ₱ 100.00/ft 5 ft ₱ 60.00/ft	Subtotal ₱ 14,000.00 ₱ 4,500.00 ₱ 300.00	7 sqm



Validity: This quotation is valid for a period of fifteen (15) days from the date thereof, subject to our confirmation thereafter.

Installation notes:

- 1 Location of indoor and outdoor units were agreed by the customer and Kolin's surveyor.
- 2 Mechanical Plans, Permits, Electrical permits not included.
- 3 Customer Needs to provide power supply at the outdoor breaker.(need Customer electrician.)
- 4 Exposed Coppertube, drainline and communication wires in the area.
- 5 Working Days; Monday to Saturday: 8am to 5pm, Need working permit, Parking for confirmation, 4pax.
- 6 Deflectors, masonry, carpentry, chipping & plastering (finishing & restoration) are not included in the installation.
- 7 Air conditioning drain line and Electrical power supply (feeder line) 220v/ 60hz/ 1ph, should be provided by customer's contractor.
- 8 Final charges will be based on actual installation.

Engr. Kerneth Zamora Service Supervisor Shop and

Field Operation

Prepared by:	Customer Conformee:		
Jeoffrey Dadios Field Surveyor	Signature Over Printed Name		
Reviewed by:			