

MR. VIRGILIO GONZALES 2440 ONYX ST., BRGY. SAN ANDRES BUKID, MANILA TEL#: 0917-1451000 / 0905-3211694

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION - OPTION 2

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED		AMOUNT
3	UNIT/S	MODEL: KLG-SF40-WBR6H1M32 KOLIN FLOOR MOUNTED AIRCONDITIONER 39,596 Kj/h (3.0TR) NON-INVERTER R-32 SINGLE PHASE	80,495.00	58,676.20	PHP	176,028.60
1	UNIT/S	MODEL: KSG-IWF-30WFY-8K1M32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 29,500 Kj/h (3.0HP) FULL DC INVERTER W/ WIFI R-32	76,595.00	51,212.20	РНР	51,212.20
TOTAL UNIT COST						227,240.80
ESTIMA	PHP	83,650.00				
OTHERS	S: DELIVERY C	HARGE			PHP	600.00
TOTAL	ESTIMATED	COST OF THE PROJECT			PHP	311,490.80

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

WARRANTY:

FOR FLOOR MOUNTED (Inverter): ONE (1) YEAR FREE PARTS AND LABOR, FIVE (5) YEARS WARRANTY ON COMPRESSOR. FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

** Cost of Installation is Package with the Unit(s), this cost cannot avail separately (cost will be based on actual works).

*** You may settle first payment for unit/s & delivery. Installation payment can be settled directly to installer after actual works.

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi_asst@kolinphil.com.ph

Very Truly Yours,

SANELLEN S. LÌM KMI-ASSISTANT

Noted by:

MART MATHANIEL R. FLORES

KMI-SUPERVISOR

KMI-QUOTE-08-25-0620-rev EMF-24%/7K Approved By:

MS. EDITHA M. FLORES

Conforme:

SIGNATURE OVER PRINTED NAME

Kolin Marketing, Inc.

1854 Sta. Rita St., Guadalupe Nuevo, Makati City Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792 www.kolinphil.com.ph / kolinphilippines

August 26, 2025 VIRGILIO GONZALES 2440 Onyx St. Brgy San Andres Bukid, Metro Manila 0917-1451000/ 0905-3211694

> MODEL Qty KLG-IF40-5G1M32 3 KSG-IWF-30WFY8K1M32 1

	AREA		A THE REAL PROPERTY AND ADDRESS OF THE PARTY A				Area	139 sqm
J 1	4.0 HP Floor Standing Inverter		KLG-IF40	0-5G1	1M32			
	Estimated Pipe Length =	33 ft						
	Estimated Royal Cord Length =	38 ft						
	Initial Charge							₱ 11,000.00
	Includes:							
	Labor							
	10ft Copper Tube							
	10ft Royal Cord							
	Indoor Bracket (Floor)							
	Consumables							
	Installation Materials	Description	Qty	Pric	e per qty	Su	ibtotal	
	Copper Tube	Ø 3/8" x Ø 5/8"	23 ft	₽	400.00/ft	₽	9,200.00	
	Royal Cord (comm. wire)	2.mm2 x 4C	28 ft	₽	100.00/ft	₽	2,800.00	
	Royal Cord (ACCU-Breaker)	5.5mm x 3c	5 ft	₽	70.00/ft	₽	350.00	
	Circuit Breaker waterproof	40A / 1Ph	1 pc/s	₽	1,000.00/pc	₽	1,000.00	
	Metal Clamp	3"	5 pc/s	₽	120.00/pc	₽	600.00	
	PVC blue	3/4" x 10'	2 pc/s	₽	150.00/pc	₽	300.00	₱ 14,250.00
	rvc blue	3/4 X 10	2 pc/3					
	FVC blue	3/4 X 10	2 pc/3					
	Estimated Charges	3/4 X 10	Z pc/3					₱ 25,250.00
	E STOREGONESE	3/4 × 10	2 00/3					
12	E STOREGONESE	3,4 ×10	KLG-IF40					
12	Estimated Charges	33 ft						
2	Estimated Charges 4.0 HP Floor Standing Inverter							
2	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length =	33 ft						
2	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length =	33 ft						₱ 25,250.00
12	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge	33 ft						₱ 25,250.00
12	4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes:	33 ft						₱ 25,250.00
12	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor	33 ft						₱ 25,250.00
J 2	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube	33 ft						₱ 25,250.00
12	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord	33 ft						₱ 25,250.00
12	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Indoor Bracket (Floor)	33 ft	KLG-IF40	D-5G1		Su	ıbtotal	₱ 25,250.00
12	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Indoor Bracket (Floor) Consumables	33 ft 40 ft	KLG-IF40	D-5G1	1M32		ibtotal 9,200.00	₱ 25,250.00
12	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Indoor Bracket (Floor) Consumables Installation Materials	33 ft 40 ft	KLG-IF40	Price	1M32	₽		₱ 25,250.00
12	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Indoor Bracket (Floor) Consumables Installation Materials Copper Tube	33 ft 40 ft Description Ø 3/8" x Ø 5/8"	Qty 23 ft	Price	1M32 se per qty 400.00/ft	₽	9,200.00	₱ 25,250.00
12	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Indoor Bracket (Floor) Consumables Installation Materials Copper Tube Royal Cord (comm. wire)	33 ft 40 ft Description Ø 3/8" x Ø 5/8" 2.mm2 x 4C	Qty 23 ft 30 ft	Price # # # # # # # # # # # # # # # # # # #	1M32 se per qty 400.00/ft 100.00/ft	₽₽	9,200.00 3,000.00	₱ 25,250.00
112	Estimated Charges 4.0 HP Floor Standing Inverter Estimated Pipe Length = Estimated Royal Cord Length = Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Indoor Bracket (Floor) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker)	33 ft 40 ft Description Ø 3/8" x Ø 5/8" 2.mm2 x 4C 5.5mm x 3c	Qty 23 ft 30 ft 5 ft	Price P	ne per qty 400.00/ft 100.00/ft 70.00/ft	P P P	9,200.00 3,000.00 350.00	∌ 25,250.00

ACU 3 4.0 HP Floor Standing Inverter KLG-IF40-5G1M32 Estimated Pipe Length = 10 ft Estimated Royal Cord Length = 17 ft **Initial Charge** ₱ 11,000.00 Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables **Installation Materials** Description Qty Price per qty Subtotal Royal Cord (comm. wire) 2.mm2 x 4C 7 ft ₱ 100.00/ft ₱ 700.00 Royal Cord (ACCU-Breaker) 5.5mm x 3c 5 ft ₱ 70.00/ft 350.00 Circuit Breaker waterproof 40A/1Ph 1 pc/s ₱ 1,000.00/pc 1,000.00 PVC blue 3/4" x 10' 2 pc/s ₱ 150.00/pc ₱ 300.00 ₱ 2,350.00 **Estimated Charges** ₱ 13,350.00 ACU 4 3.0 HP Wall Mounted Inverter KSG-IWF-30WFY8K1M32 Estimated Pipe Length 30 ft Estimated Royal Cord Length = 35 ft **Initial Charge** ₱ 8,500.00 Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables **Installation Materials** Description Subtotal Qty Price per qty Copper Tube Ø 1/4" x Ø 5/8" 20 ft ₱ 350.00/ft ₱ 7.000.00 Royal Cord (comm. wire) 2.mm2 x 4C 25 ft ₱ ₱ 2,500.00 100.00/ft Royal Cord (ACCU-Breaker) 3.5mm x 3c 5 ft ₱ 60.00/ft ₱ 300.00 Circuit Breaker waterproof 30A/1Ph 1 pc/s ₱ 1,000.00/pc 1,000.00 PVC blue 3/4" x 10' 2 pc/s ₱ 150.00/pc ₱ 300.00 ₱ 11,100.00 **Estimated Charges** ₱ 19,600.00 -13300 FCU1 4 0hp FLOORMOUNTED 2 UNITS OF OUTDOOR LOCATED AT ROOF **EVENTS AREA** FCU2 4 0hp + FLOORMOUNTED 139 sqm ACCU3 -

17100-

Validity: This quotation is valid for a period of fifteen (15) days from the date thereof, subject to our confirmation thereafter.

Installation notes:

- 1 Location of indoor and outdoor units were agreed by the customer and Kolin's surveyor.
- 2 AC drain line will be tapped to the nearest drain provision provided by the customer's contractor.
- 3 Need for marking and site visit before installation.
- 4 Coppertube expose inside the area. Customer will enlarge the window for access.
- 5 Bring plywood for indoor backing.
- 6 Customer will provide all outdoor Bracket at the roof and ACU3 and ACU4 With Ledge.
- 7 Working days: Monday to Saturday, 8am-5pm with parking. Need working permit.
- 8 Mechanical Plans, Permits, Electrical permits not included.
- 9 Deflectors, masonry, carpentry, chipping & plastering (finishing & restoration) are not included in the installation.
- 10 Air conditioning drain line and Electrical power supply (feeder line) 220v/60hz/1ph, should be provided by customer's contractor.
- 11 Final charges will be based on actual installation.

Prepared by:

Jeoffrey Dadios

Field Surveyor

Customer Conformee:

Signature Over Printed Name

Reviewed by:

Engr. Kenneth Zamora
Service Supervisor Shop and

Field Operation