



February 19, 2026

SUPREME CARE MEDICAL DIAGNOSTIC CENTER
92 CLAUDIO ST., BRGY. SAN JUAN, MORONG RIZAL
TEL#: 0917-5030232

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION - **OPTION 1**

| QTY | U/M | MODEL / DESCRIPTION | SRP | DISCOUNTED PRICE | | AMOUNT |
|--|--------|---|-----------|------------------|-----|------------|
| 1 | UNIT/S | MODEL: KS-IW15-MCAI1201M32 KOLIN WALL MOUNTED CERTUS A/ SERIES AIRCONDITIONER 12,880 Kj/h (1.5HP) FULL DC INVERTER W/ WIFI R-32 | 33,995.00 | 19,336.20 | PHP | 19,336.20 |
| 1 | UNIT/S | MODEL: KS-IW25-MCAI1201M32 KOLIN WALL MOUNTED CERTUS A/ SERIES AIRCONDITIONER 23,800 Kj/h (2.5HP) FULL DC INVERTER W/ WIFI R-32 | 50,995.00 | 31,756.20 | PHP | 31,756.20 |
| TOTAL UNIT COST | | | | | PHP | 51,092.40 |
| ESTIMATED COST OF INSTALLATION (please see attached) | | | | | PHP | 50,050.00 |
| OTHERS: DELIVERY CHARGE | | | | | PHP | 600.00 |
| TOTAL ESTIMATED COST OF THE PROJECT | | | | | PHP | 101,742.40 |

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

BANK DETAILS:

- ** You may settle first payment for unit/s & delivery. Installation payment can be settled directly to installer after actual works.
- * Unit/s & Delivery: Account Name - KOLIN MARKETING INC. / Account# - 011808002307 (BDO-KALAYAAN)
- * Installation: Will be provided by assigned installer.

WARRANTY:

FOR SPLIT TYPE : ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB , TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.


PRICES IS VAT INCLUSIVE.

** Cost of Installation is Package with the Unit(s), this cost cannot avail separately (Final charges will be based on actual works).

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi_asst@kolinphil.com.ph

Very Truly Yours,


 JANELLEN S. LIM
 KMI-ASSISTANT

Noted by:


 MART NATHANIEL R. FLORES
 KMI-SUPERVISOR

Approved By:


 MS. EDITHA M. FLORES
 AVP - FINANCE

Conforme:

SIGNATURE OVER PRINTED NAME

KMI-QUOTE-02-26-0065-rev
MMC-24%/6.5K/7K



JRA JERRICO

Refrigeration and Air-conditioning Services
 54, 19 Felixvill, Mangahan, Sto. Niño Bitibiran, Binangonan Rizal
 Email: jraairconditioning@gmail.com
 Contact Nos. 09267189004/09615215615

Survey Form

Customer Name: Supreme care medical diagnostic and imaging Date: 2/4/24
 Address: 92 claudis st. Brgy. San Juan Morong Rd SJR No.: HO-00889561
 Establishment Type: Residential: Area Surveyed: _____
 Commercial: Area Surveyed: Hallway/Entrance a Ramp
 Recommended Product Model: KSG-1WF-25WPKY-8KIM32

Cooling Capacity Computation

| | | | | |
|-------------------------------------|-------------------|---|------------------|---------------------------|
| Floor Area : | <u>16.02</u> sqm. | | | |
| Ceiling Height : | <u>8.5</u> mtr. | | | |
| | | note: add 20% per meter in excess of 3 meters in the initial cooling capacity computed. | | |
| Floor Area : | <u>16.02</u> | x | 550 Btu/h | <u>8811</u> Btu/h |
| Ceiling Height (excess of 3 mtrs.): | <u>1</u> | x | 20% | <u>1762</u> Btu/h |
| Window Direct Sunlight | | x | <u>20%</u> - 50% | <u>1762</u> Btu/h |
| Total Cooling Capacity | | | | <u>10573</u> Btu/h |
| Add : Additional Heat Load | | | | |
| No. of Person | <u>6</u> | x | 300 Btu/h | <u>1800</u> Btu/h |
| No. of Ordinary Light (<40w) | <u>8</u> | x | 200 Btu/h | <u>1600</u> Btu/h |
| No. of Special Light (>40w) | _____ | x | 400 Btu/h | _____ Btu/h |
| No. of Refrigerator (< 6 cu.ft.) | _____ | x | 400 Btu/h | _____ Btu/h |
| No. of Refrigerator (> 6 cu.ft.) | _____ | x | 800 Btu/h | _____ Btu/h |
| No. of Cooking Range | _____ | x | 1500 Btu/h | _____ Btu/h |
| No. of Laptop Computer | _____ | x | 150 Btu/h | _____ Btu/h |
| No. of Desktop Computer | _____ | x | 400 Btu/h | _____ Btu/h |
| No. of Printer | _____ | x | 500 Btu/h | _____ Btu/h |
| No. of Photocopier | _____ | x | 1000 Btu/h | _____ Btu/h |
| Total Cooling Capacity | | | | <u>3400</u> Btu/h |
| Recommended Cooling Capacity | | | | <u>13973</u> Btu/h |

Note : Compressor warranty will be reduced to ____ yr. if air-conditioner purchased is lower than the recommended cooling capacity or pipe lay-out is beyond the maximum allowable length


Scope of Work Agreement

- | | | |
|-----------------------------------|--|--|
| 1. Copper tube lay-out | <input checked="" type="checkbox"/> Expose | <input type="checkbox"/> Embedded |
| 2. Chipping | <input type="checkbox"/> Included | <input checked="" type="checkbox"/> Not Included |
| 3. Fabricated Bracket | <input type="checkbox"/> Yes <input type="checkbox"/> Shop | <input type="checkbox"/> Site <input checked="" type="checkbox"/> No |
| 4. Service Ledge | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| 5. Dismantling of existing Aircon | <input checked="" type="checkbox"/> Included | <input type="checkbox"/> Not Included |
| 6. Ducting | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |

Dimension : _____

7. Plastering, carpentry and restoration works are to be done by the customer.
8. Wiring of electrical supply from main panel to air-conditioning unit are to be done by the customer
9. Processing of mechanical plan, working permit, electrical permit are to be done by the customer
10. Other concern:

1. Expose Drainline and Copper Pipe
2. Will use existing breaker
3. Existing unit in location is 1.5 hp




Indoor Unit Location Center of the room
 Outdoor Unit Location outside the room
 Pipe Length 41 Ft.
 Special Note _____

| Installation Cost Estimate | | | |
|--|--------|-----------|----------------|
| Material Description | Qty | Unit Cost | Total Cost |
| Copper Tube (excess of 10 ft) 2330, 2430, 2520, 3520, 4620 | 31 ft. | 400/ft. | P 12,400 |
| Wire (Royal Cord - signal wire) (excess of 10ft) 2.5mmx4C | 36 ft. | 100/ft. | P 3,600 |
| Wire (Royal Cord - Breaker to ODU) 3.5mm / 5.5mm x 3C | 5 ft. | 60/ft. | P 300 |
| Circuit Breaker 20A, 30A, 40A/1ph, 40A/3ph | | | |
| Bracket (ODU) (Imptd / Fabricated) - (Floor / Wall) | | | |
| Bracket (WAC) Angle Type | | | |
| PVC Pipe (drain) 1/2", 3/4" | 3 pcs | 150/pc. | P 450 |
| PVC Pipe (electrical) 3/4", 1" | | | |
| Drain Pump | | | |
| Drain Pump Hose | | | |
| Chipping Works mtr | | | |
| Dismantling Fee (existing air-conditioner) | 1 unit | 1500 | 1500 |
| Initial Charge | | | 8500 |
| TOTAL ESTIMATE | | P | 726,750 |

- Note :
- 1 Initial Charge includes labor, 10ft Copper tube, 10ft Royal cord, Circuit breaker, Outdoor Bracket (SAC), Indoor Bracket (PAC) and Consumable materials
 - 2 Survey fee will be deducted in the installation fee

Prepared by: 
 Signature Over Printed Name

Customer Conforme: _____
 Signature Over Printed Name

REVIEWED BY:

 02/07/2026
 ENGR. ADRIAN NOGOY
 PROJECT ENGINEER-KPII

JRA JERRICO

Refrigeration and Air-conditioning Services
 84, 1st Felicidad, Mandabao, Sto. Niño Silibiran, Binangonan Rizal
 Email: rcast@ccardiffishing@ccardiffishing.com
 Contact Nos. 09267107004/09619218619

Survey Form

Customer Name: Supreme care Medical Diagnostic Date: 2/16/20
 Address: 92 Claudio St. Bay San Juan Morong Rizal SJR No: _____
 Establishment Type: Residential Commercial Area Surveyed: Scan room waiting area
 Recommended Product Model: KSG-1WF-15WF-8K1M33

Cooling Capacity Computation

Floor Area: 12.60 sqm
 Ceiling Height: 8.5 mtr

note: add 20% per meter in excess of 3 meters in the axial cooling capacity computed

| | | | | |
|------------------------------------|--------------|---|------------|--------------------|
| Floor Area | <u>12.60</u> | x | 550 Btu/h | <u>6930</u> Btu/h |
| Ceiling Height (excess of 3 mtrs.) | <u>1</u> | x | 20% | <u>1390</u> Btu/h |
| Window Direct Sunlight | | x | 20% - 50% | <u>1390</u> Btu/h |
| Total Cooling Capacity | | | | <u>9710</u> Btu/h |
| Add: Additional Heat Load | | | | |
| No. of Person | <u>4</u> | x | 300 Btu/h | <u>1200</u> Btu/h |
| No. of Ordinary Light (<40w) | <u>8</u> | x | 200 Btu/h | <u>1600</u> Btu/h |
| No. of Special Light (>40w) | | x | 400 Btu/h | |
| No. of Refrigerator (< 6 cu.ft.) | | x | 400 Btu/h | |
| No. of Refrigerator (> 6 cu.ft.) | | x | 800 Btu/h | |
| No. of Cooking Range | | x | 1500 Btu/h | |
| No. of Laptop Computer | | x | 150 Btu/h | |
| No. of Desktop Computer | | x | 400 Btu/h | |
| No. of Printer | | x | 500 Btu/h | |
| No. of Photocopier | | x | 1000 Btu/h | |
| Total Cooling Capacity | | | | <u>2880</u> Btu/h |
| Recommended Cooling Capacity | | | | <u>12510</u> Btu/h |


Note: Compressor warranty will be reduced to ___ yr. if air-conditioner purchased is lower than the recommended cooling capacity or pipe lay-out is beyond the maximum allowable length

Scope of Work Agreement

- | | | |
|----------------------------------|--|--|
| 1. Copper tube lay-out | <input checked="" type="checkbox"/> Expose | <input type="checkbox"/> Embedded |
| 2. Chipping | <input type="checkbox"/> Included | <input type="checkbox"/> Not Included |
| 3. Fabricated Bracket | <input type="checkbox"/> Yes <input type="checkbox"/> Shop | <input type="checkbox"/> Sec <input type="checkbox"/> No |
| 4. Service Ledge | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| 5. Dismantling of existing Aicon | <input checked="" type="checkbox"/> Included | <input type="checkbox"/> Not Included |
| 6. Ducting | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |

Dimension: _____


7. Plastering, carpentry and restoration works are to be done by the customer.
 8. Wiring of electrical supply from main panel to air-conditioning unit are to be done by the customer.
 9. Processing of mechanical plan, working permit, electrical permit are to be done by the customer.
 10. Other concern: Expose Drain line and copper pipe
Will use Existing Breaker



Indoor Unit Location: Center of the room upon Entering
 Outdoor Unit Location: Outside the room
 Pipe Length: 39 ft.
 Special Note: _____

| Installation Cost Estimate | | | |
|---|-----------------------------------|-----------|------------|
| Material Description | Qty | Unit Cost | Total Cost |
| Copper Tube (excess of 10 ft) | 2330, 2430, 2520, 3520, 4020 | 2.9 ft | 3500 |
| Wire (Royal Cord signal wire) (excess of 100) | 2 General | 5.9 ft | 100 |
| Wire (Royal Cord - Breaker to ODU) | 5 Spool 5 Spool & 3C | 5 ft | 100 |
| Circuit breaker | 20A, 30A, 40A/30A | | 200 |
| Bracket (ODU) | (metal / Fabricated) Floor / Wall | \$1 | |
| Bracket (IAC) | | | |
| PVC Pipe (dual) | 1/2", 3/4" | 3 pcs | 150 |
| PVC Pipe (standard) | 3/4", 1" | | 950 |
| Drain Pump | | | |
| Drain Pump Hose | | | |
| Charger Valve | ms | | |
| Discharging Fee (existing air conditioner) | 5 hour | 1500 | 1500 |
| Initial Charge | | | 500 |
| TOTAL ESTIMATE | | | \$3,300 |

- Note:
1. Initial Charge includes labor, 10ft. Copper tube, 10ft. Royal cord, Circuit breaker, Outdoor Bracket (SAC), Indoor Bracket (PAC) and Consumable materials.
 2. Survey fee will be deducted in the installation fee.

Prepared by: 
 Signature Over Printed Name

Customer Confirms: _____
 Signature Over Printed Name

REVIEWED BY:

 02/19/2026
 ENGR. ADRIAN MOGYO
 PROJECT ENGINEER RPIV