



February 9, 2026

SUPREME CARE MEDICAL DIAGNOSTIC CENTER  
92 CLAUDIO ST., BRGY. SAN JUAN, MORONG RIZAL  
TEL#: 0917-5030232

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION - **OPTION 2**

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED PRICE		AMOUNT
1	UNIT/S	MODEL: KS-IW20-MCA11201M32 KOLIN WALL MOUNTED CERTUS A/ SERIES AIRCONDITIONER 19,000 Kj/h (2.0HP) FULL DC INVERTER W/ WIFI R-32	42,995.00	26,176.20	PHP	26,176.20
1	UNIT/S	MODEL: KS-IW25-MCA11201M32 KOLIN WALL MOUNTED CERTUS A/ SERIES AIRCONDITIONER 23,800 Kj/h (2.5HP) FULL DC INVERTER W/ WIFI R-32	50,995.00	31,756.20	PHP	31,756.20
TOTAL UNIT COST					PHP	57,932.40
ESTIMATED COST OF INSTALLATION (please see attached)					PHP	50,050.00
OTHERS: DELIVERY CHARGE					PHP	600.00
TOTAL ESTIMATED COST OF THE PROJECT					PHP	108,582.40

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

BANK DETAILS:

- \*\* You may settle first payment for unit/s & delivery. Installation payment can be settled directly to installer after actual works.
- \* Unit/s & Delivery: Account Name - KOLIN MARKETING INC. / Account# - 011808002307 (BDO-KALAYAAN)
- \* Installation: Will be provided by assigned installer.

WARRANTY:

FOR SPLIT TYPE : ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB , TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.


PRICES IS VAT INCLUSIVE.

\*\* Cost of Installation is Package with the Unit(s), this cost cannot avail separately (Final charges will be based on actual works).

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at [kmi\\_asst@kolinphil.com.ph](mailto:kmi_asst@kolinphil.com.ph)

Very Truly Yours,

  
 JANELLEN S. LIM  
 KMI-ASSISTANT

Noted by:  
  
 MART NATHANIEL R. FLORES  
 KMI-SUPERVISOR

Approved By:  
  
 MS. EDITHA M. FLORES  
 AVP - FINANCE

Conforme: \_\_\_\_\_  
 SIGNATURE OVER PRINTED NAME

KMI-QUOTE-02-26-0065.2  
 MMC-24%/6.5K/7K



# JRA JERRICO

Refrigeration and Air-conditioning Services  
 B4, 19 Felixvill, Mangahan, Sto. Niño Sibibiran, Binangonan Rizal  
 Email: [jraairconditioning@gmail.com](mailto:jraairconditioning@gmail.com)  
 Contact Nos: 09267189004/09615215615

## Survey Form

Customer Name: Supreme care medical diagnostic and imaging Date: 2/4/20  
 Address: 92 Claudio St. Brgy. San Juan Morong Rizal SJR No: HO-00289507

Establishment Type: Residential  Area Surveyed: \_\_\_\_\_  
 Commercial  Area Surveyed: Scan room waiting area

Recommended Product Model: KSG-WF-20 WFY-8K1M32

### Cooling Capacity Computation

Floor Area: 12.60 sqm.  
 Ceiling Height: 8.5 mtr.

note: add 20% per meter in excess of 3 meters in the initial cooling capacity computed.

Floor Area:	<u>12.60</u>	x	550 Btu/h	6930 Btu/h
Ceiling Height (excess of 3 mtrs.):	<u>1</u>	x	20%	1390 Btu/h
Window Direct Sunlight		x	20% - 50%	1790 Btu/h
Total Cooling Capacity				9710 Btu/h

**Add : Additional Heat Load**

No. of Person	<u>4</u>	x	300 Btu/h	1200 Btu/h
No. of Ordinary Light (<40w)	<u>8</u>	x	200 Btu/h	1600 Btu/h
No. of Special Light (>40w)		x	400 Btu/h	Btu/h
No. of Refrigerator (< 6 cu.ft.)		x	400 Btu/h	Btu/h
No. of Refrigerator (> 6 cu.ft.)		x	800 Btu/h	Btu/h
No. of Cooking Range		x	1500 Btu/h	Btu/h
No. of Laptop Computer		x	150 Btu/h	Btu/h
No. of Desktop Computer		x	400 Btu/h	Btu/h
No. of Printer		x	500 Btu/h	Btu/h
No. of Photocopier		x	1000 Btu/h	Btu/h
Total Cooling Capacity				2800 Btu/h

Recommended Cooling Capacity 12510 Btu/h

Note : Compressor warranty will be reduced to \_\_\_ yr. if air-conditioner purchased is lower than the recommended cooling capacity or pipe lay-out is beyond the maximum allowable length.


### Scope of Work Agreement

- |                                   |  |  |  |
|-----------------------------------|--|--|--|
| 1. Copper tube lay-out            | <input checked="" type="checkbox"/> Expose                 | <input type="checkbox"/> Embedded                                    |  |
| 2. Chipping                       | <input type="checkbox"/> Included                          | <input checked="" type="checkbox"/> Not Included                     |  |
| 3. Fabricated Bracket             | <input type="checkbox"/> Yes <input type="checkbox"/> Shop | <input type="checkbox"/> Site <input checked="" type="checkbox"/> No |  |
| 4. Service Ledge                  | <input type="checkbox"/> Yes                               | <input checked="" type="checkbox"/> No                               |  |
| 5. Dismantling of existing Aircon | <input checked="" type="checkbox"/> Included               | <input type="checkbox"/> Not Included                                |  |
| 6. Ducting                        | <input type="checkbox"/> Yes                               | <input checked="" type="checkbox"/> No                               |  |

Dimension : \_\_\_\_\_

7. Plastering, carpentry and restoration works are to be done by the customer.
8. Wiring of electrical supply from main panel to air-conditioning unit are to be done by the customer.
9. Processing of mechanical plan, working permit, electrical permit are to be done by the customer
10. Other concern: Expose Drain line and copper pipe


Will use existing breaker




Indoor Unit Location Center of the room upon Entering  
 Outdoor Unit Location Out side the room  
 Pipe Length 39 Ft.  
 Special Note \_\_\_\_\_

Installation Cost Estimate			
Material Description	Qty	Unit Cost	Total Cost
Copper Tube (excess of 10 ft.)	2330, 2430, 2520, 3520, 4620		
Wire (Royal Cord-signal wire) (excess of 10ft)	29 Ft.	350/ft.	P 10,150
Wire (Royal Cord - Breaker to ODU)	34 Ft.	120/ft.	P 4,080
Circuit Breaker	5 Ft.	60/ft.	P 300
Bracket (ODU)	3.5mm 5.5mm x 3C		
Bracket (WAC)	20A, 30A, 40A/1ph, 40A/3ph		
PVC Pipe (drain)	(Imptd / Fabricated) : (Floor / Wall)		
PVC Pipe (electrical)	Angle Type		
Drain Pump	1/2", 3/4"	2 pcs	150/pcs. P 450
Drain Pump Hose	3/4", 1"		
Chipping Works			
Dismantling Fee (existing air-conditioner)	mt.		
Initial Charge	\$ unit	1	1500 P 1500
TOTAL ESTIMATE			P 23,300

- Note:
- Initial Charge includes labor, 10ft Copper tube, 10ft Royal cord, Circuit breaker, Outdoor Bracket (SAC), Indoor Bracket (PAC) and Consumable materials.
  - Survey fee will be deducted in the installation fee

Prepared by:   
 Signature Over Printed Name

Customer Conforms: \_\_\_\_\_  
 Signature Over Printed Name

REVIEWED BY:  
  
 02/07/2026  
 ENGR. ADRIAN NOGOY  
 PROJECT ENGINEER-KPII

# JRA JERRICO

Refrigeration and Air-conditioning Services  
 54, 19 Felixvill, Mangahan, Sto. Niño Bitibiran, Binangonan Rizal  
 Email: [jraairconditioning@gmail.com](mailto:jraairconditioning@gmail.com)  
 Contact Nos. 09267189004/09615215615

## Survey Form

Customer Name: Supreme care medical diagnostic and imaging Date: 2/4/24  
 Address: 92 Elandis st. Brgy. San Juan Morong, Pnd SJR No. HO-00889567  
 Establishment Type: Residential:  Area Surveyed: \_\_\_\_\_  
 Commercial:  Area Surveyed: Hallway/Entrance a Ramp  
 Recommended Product Model: KSG-1WF-25WPK-8KIM32

### Cooling Capacity Computation

Floor Area: 16.02 sqm. note: add 20% per meter in excess of 3 meters in the  
 Ceiling Height: 8.5 mtr. initial cooling capacity computed.

Floor Area:	<u>16.02</u>	x	550 Btu/h	<u>8811</u>	Btu/h
Ceiling Height (excess of 3 mtrs.):	<u>1</u>	x	20%	<u>1762</u>	Btu/h
Window Direct Sunlight		x	<u>20%</u> - 50%	<u>1762</u>	Btu/h
<b>Total Cooling Capacity</b>				<b><u>10573</u></b>	<b>Btu/h</b>

Add : Additional Heat Load


No. of Person	<u>6</u>	x	300 Btu/h	<u>1800</u>	Btu/h
No. of Ordinary Light (<40w)	<u>8</u>	x	200 Btu/h	<u>1600</u>	Btu/h
No. of Special Light (>40w)		x	400 Btu/h		Btu/h
No. of Refrigerator (< 6 cu.ft.)		x	400 Btu/h		Btu/h
No. of Refrigerator (> 6 cu.ft.)		x	800 Btu/h		Btu/h
No. of Cooking Range		x	1500 Btu/h		Btu/h
No. of Laptop Computer		x	150 Btu/h		Btu/h
No. of Desktop Computer		x	400 Btu/h		Btu/h
No. of Printer		x	500 Btu/h		Btu/h
No. of Photocopier		x	1000 Btu/h		Btu/h
<b>Total Cooling Capacity</b>				<b><u>3400</u></b>	<b>Btu/h</b>
<b>Recommended Cooling Capacity</b>				<b><u>13973</u></b>	<b>Btu/h</b>

Note : Compressor warranty will be reduced to \_\_\_ yr. if air-conditioner purchased is lower than the recommended cooling capacity or pipe lay-out is beyond the maximum allowable length

### Scope of Work Agreement

- |                                   |  |  |
|-----------------------------------|--|--|
| 1. Copper tube lay-out            | <input checked="" type="checkbox"/> Expose                 | <input type="checkbox"/> Embedded                                    |
| 2. Chipping                       | <input type="checkbox"/> Included                          | <input checked="" type="checkbox"/> Not Included                     |
| 3. Fabricated Bracket             | <input type="checkbox"/> Yes <input type="checkbox"/> Shop | <input type="checkbox"/> Site <input checked="" type="checkbox"/> No |
| 4. Service Ledge                  | <input type="checkbox"/> Yes                               | <input checked="" type="checkbox"/> No                               |
| 5. Dismantling of existing Aircon | <input checked="" type="checkbox"/> Included               | <input type="checkbox"/> Not Included                                |
| 6. Ducting                        | <input type="checkbox"/> Yes                               | <input checked="" type="checkbox"/> No                               |

- Dimension : \_\_\_\_\_
7. Plastering, carpentry and restoration works are to be done by the customer.
  8. Wiring of electrical supply from main panel to air-conditioning unit are to be done by the customer
  9. Processing of mechanical plan, working permit, electrical permit are to be done by the customer
  10. Other concern: 1. Expose Drainline and Copper Pipe  
2. Will use existing breaker  
3. Existing unit in location is 1.5 HP




Indoor Unit Location Center of the room  
 Outdoor Unit Location outside the room  
 Pipe Length 41 Ft.  
 Special Note \_\_\_\_\_

Installation Cost Estimate			
Material Description	Qty	Unit Cost	Total Cost
Copper Tube (excess of 10 ft)	2330 2430, 2520, 3520 4620	31 Ft. 400/Pt.	P 12,400
Wire (Royal Cord-signal wire) (excess of 10ft)	2 5mmx4C	36 Ft. 100/Pt.	P 3,600
Wire (Royal Cord - Breaker to ODU)	3.5mm / 5.5mm x 3C	5 Pt. 60/Pt.	P 300
Circuit Breaker	20A, 30A, 40A/1ph, 40A/3ph		
Bracket (ODU)	(Imptd / Fabricated) : (Floor / Wall)		
Bracket (WAC)	Angle Type		
PVC Pipe (drain)	1/2", 3/4"	3 pcs 150/pc.	P 450
PVC Pipe (electrical)	3/4", 1"		
Drain Pump			
Drain Pump Hose			
Chipping Works	mtr		
Dismantling Fee (existing air-conditioner)	1 unit	1500	1500
Initial Charge			8500
<b>TOTAL ESTIMATE</b>		P	<b>26,750</b>

- Note :
- 1 Initial Charge includes labor, 10ft Copper tube, 10ft Royal cord, Circuit breaker, Outdoor Bracket (SAC), Indoor Bracket (PAC) and Consumable materials.
  - 2 Survey fee will be deducted in the installation fee

Prepared By:   
 Signature Over Printed Name

Customer Conforme: \_\_\_\_\_  
 Signature Over Printed Name

REVIEWED BY:  
  
 02/07/2026  
 ENGR. ADRIAN NOGOY  
 PROJECT ENGINEER-KPII