

January 14, 2025.

DR. MAE CAMPOMANES 28 TWIN HILLS STREET, (LOT 15 & LOT 17, BLK 14) ROLLING HILLS VILLAGE, NEW MANILA QUEZON CITY TEL#: 0995-0447074

Dear Ma'am/Sir.

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

## A. EQUIPMENT & INSTALLATION

\*\* FOR 2ND FLOOR

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED PRICE		AMOUNT
1	UNIT/S	MODEL: KLG-IF70-5G1M32 KOLIN FLOOR MOUNTED AIRCONDITIONER 61,200 Kj/h (5.0TR) FULL DC INVERTER R-32 SINGLE PHASE	173,995.00	127,716.10	РНР	127,716.10
1	UNIT/S	MODEL: KSG-IWF-30WFY-8K1M32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 29,500 Kj/h (3.0HP) FULL DC INVERTER W/ WIFI R-32	76,595.00	52,744.10	РНР	52,744.10
TOTAL UNIT COST						180,460.20
OTHERS: DELIVERY CHARGE					PHP	600.00
ESTIMATED COST OF INSTALLATION (please see attached)					PHP	66,280.00
TOTAL ESTIMATED COST OF THE PROJECT						247,340.20

## TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

## WARRANTY:

FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

\*\* Cost of Installation is Package with the Unit(s), this cost cannot avail separately (cost will be based on actual).

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi\_asst@kolinphil.com.ph

\*\* CURRENTLY NO AVAILABLE STOCK FOR MODEL KSG-IWF-30WFY-8K1M32.

Very Truly Yours,

JANELLEN S. LIM KMI-ASSISTANT

MART NATHANIEL R. FLORES

**KMI-SUPERVISOR** 

KMI-QUOTE-01-25-0034 REG-22%/8K/7K

Conforme:

MS. EDITHAM. FLORES

AVP - FINANCE


SIGNATURE OVER PRINTED NAME

Kolin Marketing, Inc.

1854 Sta. Rita St., Guadalupe Nuevo, Makati City Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792

www.kolinphil.com.ph / kolinphilippines





January 14, 2025

DR. MAE CAMPOMANES

28 Twin Hills Street, (lot 15 & Lot 17 Blk 14) Rolling Hills Village New Manila Quezon City

Viber:0995-0447074

MODEL


Qty

KLG-IF70-5G1M32 KSG-IWF-30WFY8K1M32 1

OPTION 1

			-	
2N	D	FL	0	OR

FFICE	CREATIVE WORK SPACE						Area	81	sqm
CU 1	7.0 HP Floormounted Inverte	er	KLG	-IF7	70-5G1M32				
	Estimated Pipe Length								
	Estimated Royal Cord Length	=47 ft							
	Initial Charge							P	14,000.00
	Includes:								
	Labor								
	10ft Copper Tube								
	10ft Royal Cord								
	Indoor Bracket (Floor)								
	Consumables								
	Installation Materials	Description	Qty	Pri	ce per qty	Su	btotal		
	Copper Tube	3/8" x 5/8"	30 ft		400.00/ft	P	12,000.00		
	Royal Cord (comm. wire)	2.mm2 x 4C	37 ft	P	100.00/ft	P	3,700.00		
	Royal Cord (ACCU-Breaker)	5.0mm X 3C	7 ft	P	70.00/ft	P	490.00		
	Circuit Breaker waterproof	60A/ 1ph	1 pc/s	P	1,000.00/pc	P	1,000.00		
	Outdoor bracket	Fabricated wall	1 pc/s		5,000.00/pc	P	5,000.00		
	Rubber Insulation	2 1/8" x 3/4" x 6'	6 pc/s		350.00/pc	P	2,100.00		
	Full thread	3/8" x 10'	1 pc/s		150.00/pc		150.00		
	Metal Clamp	3"	10 pc/s		120.00/pc		1,200.00		
	PVC blue	3/4" x 10'	1 pc/s		150.00/pc		150.00		
	Drain Hose	White -1/2"	7 ft		25.00/ft		175.00	P	25,965.0
					CONTRACTOR OF CONTRACTOR	-			
	Estimated Charges							P	39,965.
112	p to make produced assumed to the		KSC IMI	E 20	NA/EVOV4M22			P	39,965.
U 2	3.0 HP Wall Mounted Inverte		KSG-IWF	F-30	WFY8K1M32			P	39,965.
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length	= 43 ft	KSG-IWI	F-30	WFY8K1M32			P	39,965.
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length	= 43 ft	KSG-IWF	F-30	WFY8K1M32				
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge	= 43 ft	KSG-IWF	F-30	WFY8K1M32				
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes:	= 43 ft	KSG-IWF	F-30	WFY8K1M32				
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor	= 43 ft	KSG-IWF	F-30	WFY8K1M32				
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube	= 43 ft	KSG-IWF	F-30	WFY8K1M32				
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord	= 43 ft	KSG-IWF	F-30	WFY8K1M32				
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall)	= 43 ft	KSG-IWF	F-30	WFY8K1M32				
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables	= 43 ft = 48 ft				¢.	shtatal		
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials	= 43 ft = 48 ft Description	Qty	Pri	ce per qty	7700000	ibtota!		
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube	= 43 ft = 48 ft Description Ø 1/4" x Ø 5/8"	Qty 33 ft	Pri	ce per qty 350.00/ft	P	11,550.00		
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire)	= 43 ft = 48 ft Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C	<b>Qty</b> 33 ft 38 ft	Pri	<b>ce per qty</b> 350.00/ft 100.00/ft	P	11,550.00 3,800.00		
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker)	= 43 ft = 48 ft Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c	<b>Qty</b> 33 ft 38 ft 5 ft	Pri P	ce per qty 350.00/ft 100.00/ft 60.00/ft	P	11,550.00 3,800.00 300.00		
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c 30A/ 1Ph	Qty 33 ft 38 ft 5 ft 1 pc/s	Pri	ce per qty 350.00/ft 100.00/ft 60.00/ft 1,000.00/pc	PPP	11,550.00 3,800.00 300.00 1,000.00		
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Rubber Insulation	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c 30A/ 1Ph 2 1/8" x 3/4" x 6'	Qty 33 ft 38 ft 5 ft 1 pc/s 6 pc/s	Pri P P P P	ce per qty 350.00/ft 100.00/ft 60.00/ft 1,000.00/pc 350.00/pc	PPP	11,550.00 3,800.00 300.00 1,000.00 2,100.00		
U 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Rubber Insulation Full thread	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c 30A/ 1Ph 2 1/8" x 3/4" x 6' 3/8" x 10'	Qty 33 ft 38 ft 5 ft 1 pc/s 6 pc/s 1 pc/s	Pri	ce per qfy 350.00/ft 100.00/ft 60.00/ft 1,000.00/pc 350.00/pc 150.00/pc		11,550.00 3,800.00 300.00 1,000.00 2,100.00 150.00		
U 2	3.0 HP Wall Mounted Inverte Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Rubber Insulation	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c 30A/ 1Ph 2 1/8" x 3/4" x 6'	Qty 33 ft 38 ft 5 ft 1 pc/s 6 pc/s	Pri	ce per qty 350.00/ft 100.00/ft 60.00/ft 1,000.00/pc 350.00/pc	P P P P P P	11,550.00 3,800.00 300.00 1,000.00 2,100.00		39,965. 7,500.00 20,250.0



Validity: This quotation is valid for a period of fifteen (15) days from the date thereof, subject to our confirmation thereafter.

## Installation notes:

- 1 Location based in floor plan only.
- 2 AC drain line will be tapped to the nearest drain provision provided by the customer's contractor.
- 3 Need for marking and site visit before installation.
- 4 Working days: Monday to Saturday, 8am-5pm with parking. Need working permit.
- 5 Mechanical Plans, Permits, Electrical permits not included.
- 6 Deflectors, masonry, carpentry, chipping & plastering (finishing & restoration) are not included in the installation.
- 7 Air conditioning drain line and Electrical power supply (feeder line) 220v/ 60hz/ 1ph should be provided by customer's contractor.
- 8 Final charges will be based on actual installation.

Prepared by:	Customer Conformee:				
Jeoffrey Dadios Field Surveyor	Signature Over Printed Name				
Reviewed by:					

Engr. Kenneth Zamora
Service Supervisor Shop and
Field Operation