

January 27, 2025

DR. MAE CAMPOMANES

28 TWIN HILLS STREET, (LOT 15 & LOT 17, BLK 14) ROLLING HILLS VILLAGE, NEW MANILA QUEZON CITY TEL#: 0995-0447074

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION

** FOR 2ND FLOOR (OPTION 2)

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED	П	AMOUNT
1	UNIT/S	MODEL: KSG-IWF-30WFY-8K1M32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 29,500 Kj/h (3.0HP) FULL DC INVERTER W/ WIFI R-32	76,595.00	52,744.10	РНР	52,744.10
1	UNIT/S	MODEL: KLM-IC60-AA1M32 KOLIN FLOOR/CEILING AIRCONDITIONER 55,503 Kj/h (5.0TR) INVERTER R-32 SINGLE PHASE	151,995.00	118,556.10	PHP	118,556.10
TOTAL	UNIT COST			•	PHP	171,300.20
ESTIMATED COST OF INSTALLATION (please see attached)					PHP	43,820.00
OTHERS	S: DELIVERY	CHARGE			PHP	600.00
TOTAL	ESTIMATED	COST OF THE PROJECT			PHP	215,720.20

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

WARRANTY:

FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB , TEN (10) YEARS WARRANTY ON COMPRESSOR. FOR FLOOR/CEILING: ONE (1) YEAR FREE PARTS AND LABOR, FIVE (5) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

** Cost of Installation is Package with the Unit(s), this cost cannot avail separately (cost will be based on actual).

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi_asst@kolinphil.com.ph

** CURRENTLY NO AVAILABLE STOCK FOR MODEL KSG-IWF-30WFY-8K1M32.

Very Truly Yours,

JANELLEN S. DM KMI-ASSISTANT

Noted by:

MART NAVNANIEL R PLORES KMI-SUPERVISOR

KMI-QUOTE-01-25-0065

REG-22%/7K

Approved By:

MS. EDITHA M. FLORES AVP - FINANCE

Conforme:

SIGNATURE OVER PRINTED NAME

Kolin Marketing, Inc.

1854 Sta. Rita St., Guadalupe Nuevo, Makati City

Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792

www.kolinphil.com.ph / kolinphilippines

January 27, 2025

DR. MAE CAMPOMANES

28 Twin Hills Street, (lot 15 & Lot 17 Blk 14) Rolling Hills Village New Manila Quezon City

viber: 09950447074

MODEL

Qty


KSG-IWF-30WFY8K1M32 KLM-IC60-AA1M32

1

EDW.		STALL STA		
\cap	\mathbf{T}		NIO	
U	_		N3	

FIRST FLOOR

SUEST	ROOM					Area		32.5 sqm	
CU 1	3.0 HP Wall Mounted Inverter KSG-IWF-30WFY8K1M3								
	Estimated Pipe Length								
	Estimated Royal Cord Length								
	Initial Charge						P	8,500.00	
	Includes:								
	Labor								
	10ft Copper Tube								
	10ft Royal Cord								
	Outdoor Bracket (floor)								
	Consumables								
	Installation Materials	Description	Qty	Pri	ce per qty	Su	ıbtotal		
	Copper Tube	Ø 1/4" x Ø 5/8"	17 ft	P	400.00/ft	P	6,800.00		
	Royal Cord (comm. wire)	2.mm2 x 4C	24 ft	P	100.00/ft	P	2,400.00		
	Royal Cord (ACCU-Breaker)	3.5mm x 3c	7 ft	P	60.00/ft	P	420.00		
	Circuit Breaker waterproof	30A / 1Ph	1 pc/s	P	1,000.00/pc	P	1,000.00		
	Rubber Insulation	2 1/8" x 3/4" x 6'	2 pc/s	P	350.00/pc	P	700.00		
	Full thread	3/8" x 10'	1 pc/s	P	150.00/pc	P	150.00		
	Metal Clamp	3"	4 pc/s	P	120.00/pc	P	480.00	P	11,950.00
									/
	Estimated Charges							₽	20,450.0
NTER	Estimated Charges TAINMENT						Area		
			KLM-IC	60-A	AA1M32		Area		20,450.0 sqm
	TAINMENT 6.0 HP Ceiling Suspended	= 25 ft	KLM-IC	60-A	AA1M32		Area		
	TAINMENT 6.0 HP Ceiling Suspended		KLM-IC	60-A	AA1M32		Area		
	TAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length		KLM-IC(60-A	AA1M32		Area	42	
	6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length		KLM-IC	60-A	AA1M32		Area	42	sqm
	TAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor		KLM-IC	60-A	AA1M32		Area	42	sqm
	ETAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube		KLM-IC	60-A	AA1M32		Area	42	sqm
NTER CU 2	ETAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord	=32 ft	KLM-IC	60-A	AA1M32		Area	42	
	ETAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack	=32 ft	KLM-IC	60-A	AA1M32		Area	42	sqm
	ETAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables	= 32 ft					Area	42	sqm
	ETAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables Installation Materials	= 32 ft ket) Description	Qty	Pri	ce per qty	Su	Area	42	sqm
	ETAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables Installation Materials Copper Tube	= 32 ft (et) Description Ø 3/8 " x Ø 5/8"		Pri		4000000		42	sqm
	ETAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables Installation Materials Copper Tube Royal Cord (comm. wire)	= 32 ft (et) Description Ø 3/8 " x Ø 5/8" 2.mm2 x 4C	Qty 15 ft 22 ft	Pri	ce per qty 400.00/ft 100.00/ft	4000000	ibtotal 6,000.00 2,200.00	42	sqm
	ETAINMENT 6.0 HP Ceiling Suspended Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker)	= 32 ft (xet) Description Ø 3/8 " x Ø 5/8" 2.mm2 x 4C 5.5mm x 3c	Qty 15 ft	Pri	ce per qty 400.00/ft 100.00/ft 70.00/ft	P	ibtotal 6,000.00	42	sqm
	Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof	= 32 ft Nescription Ø 3/8 " x Ø 5/8" 2.mm2 x 4C 5.5mm x 3c 60A/ 1Ph	Qty 15 ft 22 ft 7 ft 1 pc/s	Pri	ce per qty 400.00/ft 100.00/ft 70.00/ft 1,000.00/pc	PPP	ibtotal 6,000.00 2,200.00 490.00 1,000.00	42	sqm
	Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Rubber Insulation	= 32 ft (xet) Description Ø 3/8 " x Ø 5/8" 2.mm2 x 4C 5.5mm x 3c	Qty 15 ft 22 ft 7 ft 1 pc/s 3 pc/s	Pri P P P P	ce per qty 400.00/ft 100.00/ft 70.00/ft 1,000.00/pc 350.00/pc	P P P P	6,000.00 2,200.00 490.00 1,000.00 1,050.00	42	sqm
	Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Rubber Insulation Full Thread	= 32 ft Nescription Ø 3/8 " x Ø 5/8" 2.mm2 x 4C 5.5mm x 3c 60A/ 1Ph 2 1/8" x 3/4" x 6'	Qty 15 ft 22 ft 7 ft 1 pc/s 3 pc/s 1 pc/s	Pri P P P P P P	400.00/ft 100.00/ft 70.00/ft 1,000.00/pc 350.00/pc 150.00/pc		6,000.00 2,200.00 490.00 1,000.00 1,050.00 150.00	42	sqm 12,000.00
	Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Full Thread (indoor brack Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Rubber Insulation	= 32 ft Nescription Ø 3/8 " x Ø 5/8" 2.mm2 x 4C 5.5mm x 3c 60A/ 1Ph	Qty 15 ft 22 ft 7 ft 1 pc/s 3 pc/s	Pri P P P P P P	ce per qty 400.00/ft 100.00/ft 70.00/ft 1,000.00/pc 350.00/pc		6,000.00 2,200.00 490.00 1,000.00 1,050.00	42	sqm



Validity: This quotation is valid for a period of fifteen (15) days from the date thereof, subject to our confirmation thereafter.

Installation notes:

- 1 Location based in floor plan only.
- 2 AC drain line will be tapped to the nearest drain provision provided by the customer's contractor.
- 3 Need for marking and site visit before installation.
- 4 Need clearance top of unit to ceiling atleast 10cm each units.
- 5 Working days: Monday to Saturday, 8am- 5pm with parking. Need working permit.
- 6 Mechanical Plans, Permits, Electrical permits not included.
- 7 Deflectors, masonry, carpentry, chipping & plastering (finishing & restoration) are not included in the installation.
- 8 Air conditioning drain line and Electrical power supply (feeder line) 220v/ 60hz/ 1ph should be provided by customer's contractor.
- 9 Final charges will be based on actual installation.

Prepared by:	Customer Conformee:				
Jeoffrey Dadios					
Field Surveyor	Signature Over Printed Name				
Reviewed by:					

Engr. Kenneth Zamora
Service Supervisor Shop and

Field Operation