

MR. DARRICK TEE CHA TUK CHAK GAMMA ORTIGAS

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED		AMOUNT
1	UNIT/S	MODEL: KLM-IC40-AA1M32 KOLIN FLOOR/CEILING AIRCONDITIONER 37,980 Kj/h (3.0TR) DC INVERTER R-32	117,995.00	89,676.20	РНР	89,676.20
1	UNIT/S	MODEL: KSG-IWF-20WFY-8K1M32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 19,000 Kj/h (2.0HP) FULL DC INVERTER W/ WIFI R-32	59,595.00	38,292.20	РНР	38,292.20
TOTAL	UNIT COST				PHP	127,968.40
ESTIMA	TED COST O	F INSTALLATION (please see attached)			PHP	/ 115,000.00
OTHERS	S: DELIVERY	CHARGE			PHP	/ 600.00
TOTAL	ESTIMATED	COST OF THE PROJECT			PHP	243,568.40

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

WARRANTY:

FOR FLOOR/CEILING: ONE (1) YEAR FREE PARTS AND LABOR, FIVE (5) YEARS WARRANTY ON COMPRESSOR. FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

- ** Cost of Installation is Package with the Unit(s), this cost cannot avail separately (cost will be based on actual works).
- *** You may settle first payment for unit/s & delivery. Installation payment can be settled directly to installer after actual works.

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order. If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi_asst@kolinphil.com.ph

** Unit quotation is based on floor plan only, no indicated location for outdoor units. Still subject for actual survey/ocular.

Very Truly Yours,

JANELLEN S. LIM

Noted By:

MART NATHANIEL R. FLORES

KMI-QUOTE-07-25-0558

JCY-24%/7K

KMI-SUPERVISOR

Approved By:

MS. EDITHA M. FLORES

AVP - FINANCE

Conforme:

SIGNATURE OVER PRINTED NAME

Kolin Marketing, Inc.

1854 Sta. Rita St., Guadalupe Nuevo, Makati City

Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792 www.kolinphil.com.ph / kolinphilippines






JULY 21, 2025 DARRICK TEE

Cha Tuk Chak Gamma Ortigas

MODELQUANTITYKLM-IC40-AA1M321KSG-IWF-20WFY-8K1M321

41							Area		27 59.111
1	4.0hp Floor Ceiling Inverter		KLM-IC4	0-A	A1M32				
	Estimated Pipe Length		ft						
	Estimated Royal Cord Length:	89	ft						
	Initial Charge							P	12,000.0
	Includes:								
	Labor								
	10ft Copper Tube								
	10ft Royal Cord								
	Other Consumable	S							
	Additional Charges	Description	Unit		Price Per Unit		Subtotal		
	Copper Tube	3/8"x 5/8"	72 ft	P	400.00 / ft	Р	28,800.00		
.9.	Royal Cord	2.mm2 x 4C	79 ft	P	100.00 / ft	Р	7,900.00		
	Royal Cord (ODU-Breaker)	5.5mm2 x 3C	7 ft	P	70.00 / ft	P	490.00		
	Circuit Breaker(NEMA)	60A/ 1Ph	1 pc(s)	P	1,000.00 / pc	Р	1,000.00		
	Outdoor Bracket(floor)	fabricated	1 pc(s)	Р	5,000.00 / pc	Р	5,000.00		
	Rubber Insulation	2 1/8"x3/4" x 6'	12 pc(s)	P	350.00 / pc	Р	4,200.00		
	Full Thread	3 meters	2 pc(s)	P	150.00 / pc	Р	300.00		
	Pipe hanger	3 inches	16 pc(s)	P	120.00 / pc	P	1,920.00		
			7 ft	Р	25.00 / ft	Р	175.00	P	49,785.0
42	Drain Hose Estimated Charges	White -1/2"	/ it		25.00 / 10		Area	P	61,785.
	Estimated Charges							P	
42 2	Estimated Charges 2.0hp Wallmonted Inverter		KSG-IWF-20					P	61,785.0
	2.0hp Wallmonted Inverter Estimated Pipe Length	: 82	KSG-IWF-20					P	61,785.0
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length:	: 82	KSG-IWF-20			T		P ≈	61,785. 0
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge	: 82	KSG-IWF-20			I		P	61,785. 0
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes:	: 82	KSG-IWF-20			T		P ≈	61,785.0 12 sq.m
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor	: 82	KSG-IWF-20					P ≈	61,785. 0
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube	: 82	KSG-IWF-20			T		P ≈	61,785. 0
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord	: 82 89	KSG-IWF-20					P ≈	61,785.0 12 sq.m
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g	: 82 89	KSG-IWF-20					P ≈	61,785.0 12 sq.m
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g	: 82 89	KSG-IWF-20 ft ft		Y-8K1M32	Ι	Area	P ≈	61,785.0 12 sq.m
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g Other Consumable	: 82 89 galvanize wall) s Description	KSG-IWF-20 ft ft Unit	WF)	Y-8K1M32 Price Per Unit		Area	P ≈	61,785.0 12 sq.m
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g Other Consumable Additional Charges Copper Tube	: 82 89 galvanize wall) s Description 3/8"x 5/8"	KSG-IWF-20 ft ft Unit 72 ft	P P	Price Per Unit 400.00 / ft	P	Area Subtotal 28,800.00	P ≈	61,785. 0
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g Other Consumable Additional Charges Copper Tube Royal Cord	: 82 89 galvanize wall) s Description 3/8"x 5/8" 2.mm2 x 4C	KSG-IWF-20 ft ft Unit 72 ft 79 ft	P P	Price Per Unit 400.00 / ft 100.00 / ft	PPP	Area Subtotal 28,800.00 7,900.00	P ≈	61,785.0 12 sq.m
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g Other Consumable Additional Charges Copper Tube Royal Cord Royal Cord Royal Cord (ODU-Breaker)	: 82 89 galvanize wall) s Description 3/8"x 5/8" 2.mm2 x 4C 3.5mm2 x 3C	### Unit 72 ft 79 ft 7 ft	P P P	Price Per Unit 400.00 / ft 100.00 / ft 60.00 / ft	P P P	Subtotal 28,800.00 7,900.00 420.00	P ≈	61,785. 0
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g Other Consumable Additional Charges Copper Tube Royal Cord Royal Cord (ODU-Breaker) Circuit Breaker(NEMA)	: 82 89 galvanize wall) s Description 3/8"x 5/8" 2.mm2 x 4C 3.5mm2 x 3C 30A/ 1Ph	### Unit ### 72 ft ### 79 ft ### 1 pc(s)	P P P P	Price Per Unit 400.00 / ft 100.00 / ft 60.00 / ft 1,000.00 / pc	P P P P	Subtotal 28,800.00 7,900.00 420.00 1,000.00	P ≈	61,785.0 12 sq.m
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g Other Consumable Additional Charges Copper Tube Royal Cord Royal Cord (ODU-Breaker) Circuit Breaker(NEMA) Rubber Insulation	: 82 89 galvanize wall) s Description 3/8"x 5/8" 2.mm2 x 4C 3.5mm2 x 3C 30A/ 1Ph 2 1/8"x3/4" x 6'	Unit 72 ft 79 ft 7 ft 1 pc(s) 12 pc(s)	P P P P P	Price Per Unit 400.00 / ft 100.00 / ft 60.00 / ft 1,000.00 / pc 350.00 / pc	P P P P P P	Subtotal 28,800.00 7,900.00 420.00 1,000.00 4,200.00	P ≈	61,785.0 12 sq.m
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g Other Consumable Additional Charges Copper Tube Royal Cord Royal Cord (ODU-Breaker) Circuit Breaker(NEMA) Rubber Insulation Full Thread	: 82 89 Salvanize wall) s Description 3/8"x 5/8" 2.mm2 x 4C 3.5mm2 x 3C 30A/ 1Ph 2 1/8"x3/4" x 6' 3 meters	Unit 72 ft 79 ft 7 pc(s) 12 pc(s) 2 pc(s)	P P P P P P P P P P P P P P P P P P P	Price Per Unit 400.00 / ft 100.00 / ft 60.00 / ft 1,000.00 / pc 350.00 / pc 150.00 / pc	P P P P P P P P P P P P P P P P P P P	Subtotal 28,800.00 7,900.00 420.00 1,000.00 4,200.00 300.00	P ≈	61,785.0
	2.0hp Wallmonted Inverter Estimated Pipe Length Estimated Royal Cord Length: Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (g Other Consumable Additional Charges Copper Tube Royal Cord Royal Cord (ODU-Breaker) Circuit Breaker(NEMA) Rubber Insulation	: 82 89 galvanize wall) s Description 3/8"x 5/8" 2.mm2 x 4C 3.5mm2 x 3C 30A/ 1Ph 2 1/8"x3/4" x 6'	Unit 72 ft 79 ft 7 ft 1 pc(s) 12 pc(s)	P P P P P	Price Per Unit 400.00 / ft 100.00 / ft 60.00 / ft 1,000.00 / pc 350.00 / pc	P P P P P P	Subtotal 28,800.00 7,900.00 420.00 1,000.00 4,200.00	p ≈	61,785.0 12 sq.m



Validity: This quotation is valid for a period of fifteen (15) days from the date thereof, subject to our confirmation thereafter.

Note:

- 1 Air conditioning capacity, location of indoor units and Copper tube pipe length are all based on floor plan submitted by customer.
- 2 AC drain line will be tapped to the nearest drain provision provided by the customer's contractor.
- 3 Need for marking and site visit before installation.
- 4 Coppertube expose inside the area.

Engr. Kenneth/Zamora
Service Supervisor
Field and Shop Operation

- 5 Mechanical Plans, Permits, Electrical permits not included.
- 6 Deflectors, masonry, carpentry, chipping & plastering (finishing & restoration) are not included in the installation.
- 7 Electrical power supply (feeder line) 220v/60hz/1ph is not included in the scope of work of Kolin.
- 8 Final charges will be based on actual installation.

gnature Over Printed Name