

September 16, 2025

MR. JARIC CHUA
UNIT C BLDG. B, MANDALA PARK SHAW BLVD., BRGY. ADDITION HILLS, MANDALUYONG CITY
TEL#: 0917-883855
Email: jaric@playhardfitness.ph

Dear Ma'am/Sir,

Kolin Marketing Inc., is extremely honored for your endorsement of Kolin brand and we are please to offer you with a special price/s for the following items.

A. EQUIPMENT & INSTALLATION - OPTION 1

QTY	U/M	MODEL / DESCRIPTION	SRP	DISCOUNTED PRICE		AMOUNT
3	UNIT/S	MODEL: KSG-IWF-30WFY-8K1M32 KOLIN WALL MOUNTED PRIMUS GOLD AIRCONDITIONER 29,500 Kj/h (3.0HP) FULL DC INVERTER W/ WIFI R-32	76,595.00	51,212.20	РНР	153,636.60
TOTAL	UNIT COST	PHP	153,636.60			
ESTIMA	TED COST OF	PHP	/ 60,190.00			
OTHERS: DELIVERY CHARGE					PHP	/ 600.00
TOTAL	ESTIMATED	COST OF THE PROJECT			PHP	214,426.60

TERMS OF PAYMENT:

FULL PAYMENT OF UNIT AND DELIVERY CHARGE. IF CHECK, SUBJECT FOR 3 DAYS CLEARING.

WARRANTY:

FOR SPLIT TYPE: ONE (1) YEAR FREE PARTS AND LABOR, THREE YEARS (3) MAIN PCB, TEN (10) YEARS WARRANTY ON COMPRESSOR.

NOTES: PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

PRICES IS VAT INCLUSIVE.

- ** Cost of Installation is Package with the Unit(s), this cost cannot avail separately (cost will be based on actual works).
- *** You may settle first payment for unit/s & delivery. Installation payment can be settled directly to installer after actual works.

We thank you for giving opportunity to offer our product and services, hoping we receive your purchase order.

If you need assistance, don't hesitate to call the under signed at 0917-807-8607 or email at kmi_asst@kolinphil.com.ph

Very Truly Yours,

JANELLEN S. LIM

Noted By:

MART NATHANIEL R. FLORES

KMI-SUPERVISOR

KMI-QUOTE-09-25-0695 JCY-24%/7K Approved By:

MS. EDITHA M. FLORES AVP - FINANCE

Conforme:

SIGNATURE OVER PRINTED NAME

Kolin Marketing, Inc.

1854 Sta. Rita St., Guadalupe Nuevo, Makati City

Tel.: (632) 8852-6473

Fax: (632) 8852-2170 / (632) 8852-4792

www.kolinphil.com.ph / kolinphilippines

September 15, 2025 JARIC CHUA Unit C Bldg B. Mandala Park Shaw Blvd, Brgy Addition Hills Mandaluyong City 0917-8838055

jaric@playhardfitness.ph

MODEL Qty KSG-IWF-30WFY8K1M32 3

1	D'	ГΙ	0	N	1

	AY AREA				Area	100 sqm
CU 1	U 1 3.0 HP Wall Mounted Inverter			OWFY8K1M32		
	Estimated Pipe Length =					
	Estimated Royal Cord Length :	= 22 ft				
	Initial Charge					₱ 8,500.00
	Includes:					
	Labor					
	10ft Copper Tube					
	10ft Royal Cord					
	Outdoor Bracket (Wall)					
	Consumables					
	Installation Materials	Description	Qty Pr	rice per qty	Subtotal	
	Copper Tube	Ø 1/4" x Ø 5/8"	7 ft 🖻	400.00/ft	₱ 2,800.00	
	Royal Cord (comm. wire)	2.mm2 x 4C	12 ft ₱	100.00/ft	₱ 1,200.00	
	Royal Cord (ACCU-Breaker)	3.5mm x 3c	5 ft ₱	60.00/ft	₱ 300.00	
	Circuit Breaker waterproof	30A / 1Ph	1 pc/s ₱	1,000.00/pc	₱ 1,000.00	
	Full thread	3/8" x 10'	2 pc/s ₱		₱ 300.00	
	Metal Clamp	3"	6 pc/s ₱	120.00/pc	₱ 720.00	
	PVC blue	3/4" x 10'	2 pc/s ₱		₱ 300.00	₱ 6,620.00
	Estimated Charges					P 15,120.00
211.2	Page 10070		VSC IIVE 2	ONA/EVOVARA22		₱ 15,120.00
CU 2	3.0 HP Wall Mounted Inverter		KSG-IWF-3	0WFY8K1M32		₱ 15,120.00
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length =	= 17 ft	KSG-IWF-3	OWFY8K1M32		₱ 15,120.00
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length :	= 17 ft	KSG-IWF-3	0WFY8K1M32		
;U 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length : Initial Charge	= 17 ft	KSG-IWF-3	0WFY8K1M32		₱ 15,120.00 ₱ 8,500.00
:U 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes:	= 17 ft	KSG-IWF-3	0WFY8K1M32		
;U 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor	= 17 ft	KSG-IWF-3	0WFY8K1M32		
:U 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube	= 17 ft	KSG-IWF-3	0WFY8K1M32		
:U 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length : Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord	= 17 ft	KSG-IWF-3	0WFY8K1M32		
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length : Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall)	= 17 ft	KSG-IWF-3	0WFY8K1M32		
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables	= 17 ft = 22 ft	16		Subsected	
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials	= 17 ft = 22 ft Description	Qty Pr	rice per qty	Subtotal	
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length : Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube	= 17 ft = 22 ft Description Ø 1/4" x Ø 5/8"	Qty Pr 7 ft P	rice per qty 400.00/ft	₱ 2,800.00	
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length = Estimated Royal Cord Length : Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire)	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C	Qty Pr 7 ft ₱ 12 ft ₱	rice per qty 400.00/ft 100.00/ft	₱ 2,800.00 ₱ 1,200.00	
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker)	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c	Qty Pr 7 ft ₱ 12 ft ₱ 5 ft ₱	rice per qty 400.00/ft 100.00/ft 60.00/ft	₱ 2,800.00 ₱ 1,200.00 ₱ 300.00	
OU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c 30A / 1Ph	Qty Pr 7 ft P 12 ft P 5 ft P 1 pc/s P	rice per qty 400.00/ft 100.00/ft 60.00/ft 1,000.00/pc	₱ 2,800.00 ₱ 1,200.00 ₱ 300.00 ₱ 1,000.00	
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Full thread	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c 30A / 1Ph 3/8" x 10'	Qty Pr 7 ft P 12 ft P 5 ft P 1 pc/s P 2 pc/s P	rice per qty 400.00/ft 100.00/ft 60.00/ft 1,000.00/pc 150.00/pc	P 2,800.00 P 1,200.00 P 300.00 P 1,000.00 P 300.00	
2U 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Full thread Metal Clamp	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c 30A / 1Ph 3/8" x 10' 3"	Oty Pr 7 ft P 12 ft P 5 ft P 1 pc/s P 2 pc/s P 6 pc/s P	rice per qty 400.00/ft 100.00/ft 60.00/ft 1,000.00/pc 150.00/pc 120.00/pc	P 2,800.00 P 1,200.00 P 300.00 P 1,000.00 P 300.00 P 720.00	₱ 8,500.00
CU 2	3.0 HP Wall Mounted Inverter Estimated Pipe Length Estimated Royal Cord Length Initial Charge Includes: Labor 10ft Copper Tube 10ft Royal Cord Outdoor Bracket (Wall) Consumables Installation Materials Copper Tube Royal Cord (comm. wire) Royal Cord (ACCU-Breaker) Circuit Breaker waterproof Full thread	Description Ø 1/4" x Ø 5/8" 2.mm2 x 4C 3.5mm x 3c 30A / 1Ph 3/8" x 10'	Qty Pr 7 ft P 12 ft P 5 ft P 1 pc/s P 2 pc/s P	rice per qty 400.00/ft 100.00/ft 60.00/ft 1,000.00/pc 150.00/pc 120.00/pc	P 2,800.00 P 1,200.00 P 300.00 P 1,000.00 P 300.00	

ACU 1 3.0 HP Wall Mounted Inverter

KSG-IWF-30WFY8K1M32

₱ 8,500.00

Estimated Pipe Length = 50 ft Estimated Royal Cord Length = 55 ft

Initial Charge

Includes:

Labor

10ft Copper Tube


10ft Royal Cord

Outdoor Bracket (Wall)

Consumables

Conduntables									
Installation Materials	Description	Qty	Pri	ce per qty	Sı	ubtotal			
Copper Tube	Ø 1/4" x Ø 5/8"	40 ft	P	350.00/ft	P	14,000.00			
Royal Cord (comm. wire)	2.mm2 x 4C	45 ft	P	100.00/ft	P	4,500.00			
Royal Cord (ACCU-Breaker)	3.5mm x 3c	5 ft	P	60.00/ft	P	300.00			
Circuit Breaker waterproof	30A / 1Ph	1 pc/s	P	1,000.00/pc	P	1,000.00			
Full thread	3/8" x 10'	2 pc/s	P	150.00/pc	P	300.00			
Metal Clamp	3"	10 pc/s	P	120.00/pc	P	1,200.00			
PVC blue	3/4" x 10'	1 pc/s	P	150.00/pc	P	150.00	P	21,450.00	

Estimated Charges ₱ 29,950.00



/alidity: This quotation is valid for a period of fifteen (15) days from the date thereof, subject to our confirmation thereafter.

Installation notes:

- 1 Location of indoor and outdoor units were agreed by the customer and Kolin's surveyor.
- 2 AC drain line will be tapped to the nearest drain provision provided by the customer's contractor.
- 3 Need for marking and site visit before installation.
- 4 Coppertube expose inside the area.
- 5 Working days: Monday to Saturday, 8am-5pm with parking. Need working permit.
- 6 Mechanical Plans, Permits, Electrical permits not included.
- 7 Deflectors, masonry, carpentry, chipping & plastering (finishing & restoration) are not included in the installation.
- 8 Air conditioning drain line and Electrical power supply (feeder line) 220v/ 60hz/ 1ph, should be provided by customer's contractor.
- 9 Final charges will be based on actual installation.

D	rep	ore	d h	111
~	LOD	are	ו ווי	W

Jeoffrey Dadios Field Surveyor

Reviewed by:

Engr. Kenneth Zamora
Service Supervisor Shop and

Field Operation

Customer Conformee:

Signature Over Printed Name