

Anson Emporium Corporation Stock and Order Analysis(SAP)

BP Code: 382 **BP Name:** KOLIN PHILIPPINES INTERNATIONAL, INC.

From Date: 10/01/2025 **To Date:** 10/07/2025 **No. of Months:** 1

1. In stock
2. Sold
3. Incoming
4. Outgo
5. Ave. mo. sale
6. Req'd. stock in 2 mo.
7. Stock to order

(In stock Inv. coverage)

Print Date: 10/07/2025

[illegible]

			1PT	2TUV	3INT	ALS	AOL	BGS	BRI	FLS	LMS	MK1	NVS	PSA	SL	TRI	Total
KOLIN KAG-75WCINV .75HP INVERTER AIRCON	17,074.55		12	25	-	3	-	2	1	4	6	3	6	1	2	14	79
			-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
			-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
			12	25	-	3	-	2	1	4	6	1	6	1	2	14	77
KOLIN KAG-80HRE4 .75HP R410A AIRCON	10,516.75		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOLIN KAM-100DRC32 1HP R32 COMPACT AC	12,416.55		-	-	-	-	-	-	2	2	1	-	-	1	1	2	9
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	2	2	1	-	-	1	1	2	9
KOLIN KAM-150CMC32 1 .5HP R32 COMPACT AIRCON	14,141.55		38	-	-	-	-	-	1	-	-	-	2	1	1	3	46
			-	-	-	-	-	-	1	-	-	4	-	-	-	-	5
			1	-	-	-	-	-	-	-	-	-	-	-	2	-	3
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	1	-	-	4	-	-	-	-	5
			-	-	-	-	-	-	2	-	-	8	-	-	-	-	10
			39	-	-	-	-	-	-1	-	-	-8	2	1	3	3	39
KOLIN KAM-150DRC32 1.5HP R32 COMPACT AC	15,521.55		20	-	-	-	-	-	-	1	2	-	2	-	-	2	27
			-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
			-	-	-	-	-	-	2	-	-	-	-	-	-	-	2
			20	-	-	-	-	-	-2	1	2	-	2	-	-	2	25
KOLIN KAM-200DRC32 2HP R32 COMPACT AC	21,386.55		12	-	-	-	-	-	-	-	2	-	3	-	-	1	18
			-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
			-	-	-	-	-	-	2	-	-	-	-	-	-	-	2
			12	-	-	-	-	-	-2	-	2	-	3	-	-	1	16

			1PT	2TUV	3INT	ALS	AOL	BGS	BRI	FLS	LMS	MK1	NVS	PSA	SL	TRI	Total
KOLIN KLG-IF100-4F3M 410 FLOOR MOUNTED [O]	220,796.55		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOLIN KLG-IF40-5G1M3 2 3TR FLOOR MOUNTED [I]	0.00		7	10	-	-	-	-	-	-	-	-	-	-	-	1	18
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			7	10	-	-	-	-	-	-	-	-	-	-	-	1	18
KOLIN KLG-IF40-5G1M3 2 3TR FLOOR MOUNTED [O]	73,104.55		7	10	-	-	-	-	-	-	-	-	-	-	-	1	18
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			7	10	-	-	-	-	-	-	-	-	-	-	-	1	18
KOLIN KLG-SF40-WBR6H 1M32 FLOOR MOUNTED [I]	0.00		4	17	-	-	-	-	-	-	-	-	-	-	-	1	22
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			4	17	-	-	-	-	-	-	-	-	-	-	-	1	22
KOLIN KLG-SF40-WBR6H 1M32 FLOOR MOUNTED [O]	54,041.55		4	17	-	-	-	-	-	-	-	-	-	-	-	1	22
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			4	17	-	-	-	-	-	-	-	-	-	-	-	1	22
KOLIN KL-IF60-G6H1M3 2 FLOOR MOUNTED (I)	0.00		5	-	-	-	-	-	-	-	-	1	1	-	-	-	5
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	1	1	-	-	-	2
			-	-	-	-	-	-	-	-	-	2	2	-	-	-	4
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
			-	-	-	-	-	-	-	-	-	1	1	-	-	-	2
			5	-	-	-	-	-	-	-	-	-2	-2	-	-	-	1

			1PT	2TUV	3INT	ALS	AOL	BGS	BRI	FLS	LMS	MK1	NVS	PSA	SL	TRI	Total
KOLIN KLM-SS40-4F1M CASS/TYPE [O]	59,629.35		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOLIN KPA-100-R10N41 0 1HP PORTABLE A/C	14,486.55		-	-	-	-	-	-	-	-	-	-	3	-	-	-	3
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOLIN KPA-150-R15D41 0 1.5HP PORTABLE A/C	17,246.55		10	-	-	-	-	-	-	-	1	3	3	-	-	2	19
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOLIN KSG-IWF-10Wfy8 K1M32 1HP PRIMUSGOLD[I]	0.00		19	15	1	3	-	1	-	2	2	2	3	-	-	5	53
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	1	-	1	-	-	-	2
			-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
			2	-	-	-	-	-	-	-	-	-	1	-	-	-	3
			-	-	-	-	-	-	-	-	1	-	1	-	-	-	2
			-	-	-	-	-	-	-	-	2	-	2	-	-	-	4
			19	15	2	3	-	1	-	2	-	2	1	-	-	5	50
KOLIN KSG-IWF-10Wfy8 K1M32 1HP PRIMUSGOLD[O]	22,390.55		19	15	1	3	-	1	-	2	2	2	3	-	-	5	53
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	1	-	1	-	-	-	2
			-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
			2	-	-	-	-	-	-	-	-	-	1	-	-	-	3
			-	-	-	-	-	-	-	-	1	-	1	-	-	-	2
			-	-	-	-	-	-	-	-	2	-	2	-	-	-	4
			19	15	2	3	-	1	-	2	-	2	1	-	-	5	50
KOLIN KSG-IWF-20Wfy8 K1M32 2HP PRIMUSGOLD[I]	0.00		14	49	-	1	-	2	-	1	2	2	3	-	-	4	78
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			14	49	-	1	-	2	-	1	2	2	3	-	-	4	78

[illegible]

			1PT	2TUV	3INT	ALS	AOL	BGS	BRI	FLS	LMS	MK1	NVS	PSA	SL	TRI	Total
KOLIN KSM-IW10-WCT10 M1M32 INVERTER A/C (I)	0.00		10 - 55 3	8 - - -	1 - 2 -	3 - - -	- - - -	1 - - -	- 1 - -	2 1 - -	2 - - -	2 - - -	1 2 - 1	1 1 - -	2 3 - -	5 - - -	38 8 57 4
Inv.Cov.: 0.0 mo.			- - 65	- - 8	- - 3	- - 3	- - -	- - 1	1 2 -2	1 2 -	- - -	- - 2	2 4 -3	1 2 -1	3 6 -4	- - 5	8 16 79
KOLIN KSM-IW10-WCT10 M1M32 INVERTER A/C (O)	16,696.55		10 - 55 3	8 - - -	1 - 2 -	3 - - -	- - - -	1 - - -	- 1 - -	2 1 - -	2 - - -	2 - - -	1 2 - 1	1 1 - -	2 3 - -	5 - - -	38 8 57 4
Inv.Cov.: 0.0 mo.			- - 65	- - 8	- - 3	- - 3	- - -	- - 1	1 2 -2	1 2 -	- - -	- - 2	2 4 -3	1 2 -1	3 6 -4	- - 5	8 16 79
KOLIN KSM-IW15-WCT10 M1M32 INVERTER A/C (I)	0.00		16 - 30 -	- - - -	- - - -	1 - - -	- - - -	1 - - -	- - - -	1 2 - -	1 - - -	1 3 - -	4 - - -	5 1 - 1	3 - - -	6 - - -	39 6 30 1
Inv.Cov.: 0.0 mo.			- - 46	- - -	- - -	- - 1	- - -	- - 1	- - -	2 4 -3	- - 1	3 6 -5	- - 4	1 2 3	- - 3	- - 3	6 12 57
KOLIN KSM-IW15-WCT10 M1M32 INVERTER A/C (O)	18,766.55		16 - 30 -	- - - -	- - - -	1 - - -	- - - -	1 - - -	- - - -	1 2 - -	1 - - -	1 3 - -	4 - - -	5 1 - 1	3 - - -	6 - - -	39 6 30 1
Inv.Cov.: 0.0 mo.			- - 46	- - -	- - -	- - 1	- - -	- - 1	- - -	2 4 -3	- - 1	3 6 -5	- - 4	1 2 3	- - 3	- - 3	6 12 57
KOLIN KSM-IW20-WCT10 M1M32 INVERTER A/C (I)	0.00		26 - 5 1	35 - - -	- - 1 -	1 - - -	- - - -	1 - - -	- - - -	2 1 - -	2 - - -	2 - - -	2 - - -	1 - - -	- - - -	3 - - -	75 1 6 1
Inv.Cov.: 0.0 mo.			- - 31	- - 35	- - 1	- - 1	- - -	- - 1	- - -	1 2 -	- - 2	- - 2	- - 2	- - 2	- - 1	- - 3	1 2 79
KOLIN KSM-IW20-WCT10 M1M32 INVERTER A/C (O)	24,976.55		26 - 5 1	35 - - -	- - 1 -	1 - - -	- - - -	1 - - -	- - - -	2 1 - -	2 - - -	2 - - -	2 - - -	1 - - -	- - - -	3 - - -	75 1 6 1
Inv.Cov.: 0.0 mo.			- - 31	- - 35	- - 1	- - 1	- - -	- - 1	- - -	1 2 -	- - 2	- - 2	- - 2	- - 1	- - -	- - 3	1 2 79

[illegible]

			1PT	2TUV	3INT	ALS	AOL	BGS	BRI	FLS	LMS	MK1	NVS	PSA	SL	TRI	Total
KOLIN KVM-30VAH1M-O 3HP OUTDOOR UNIT	41,396.55		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOLIN KVM-40VAH1M-O 4HP OUTDOOR UNIT	55,196.55		-	-	1	-	-	-	-	-	-	-	-	-	-	1	2
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	1	-	-	-	-	-	-	-	-	-	-	1	2
KOLIN KVM-50VAH1M-O 5HP OUTDOOR UNIT	75,896.55		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inv.Cov.: 0.0 mo.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOLINKSG-IWF-1 5WFY8K1M32 1.5HPPRIMUSGOL D[I]	0.00		15	-	-	2	-	1	-	2	2	1	2	-	-	3	28
Inv.Cov.: 0.0 mo.			-	-	-	-	1	-	-	-	-	1	-	-	-	-	2
			30	-	1	-	-	-	-	-	-	-	-	-	-	-	31
			3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Inv.Cov.: 0.0 mo.			-	-	-	-	1	-	-	-	-	1	-	-	-	-	2
			-	-	-	-	2	-	-	-	-	2	-	-	-	-	4
			45	-	1	2	-2	1	-	2	2	-1	2	-	-	3	55
KOLINKSG-IWF-1 5WFY8K1M32 1.5HPPRIMUSGOL D[O]	25,150.55		15	-	-	2	-	1	-	2	2	1	2	-	-	3	28
Inv.Cov.: 0.0 mo.			-	-	-	-	1	-	-	-	-	1	-	-	-	-	2
			30	-	1	-	-	-	-	-	-	-	-	-	-	-	31
			3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Inv.Cov.: 0.0 mo.			-	-	-	-	1	-	-	-	-	1	-	-	-	-	2
			-	-	-	-	2	-	-	-	-	2	-	-	-	-	4
			45	-	1	2	-2	1	-	2	2	-1	2	-	-	3	55