




NEW CSPF RATING







Rating
(*No specific passing rate)

“A higher Energy Efficiency Rating means more savings”

Issuance Year of Energy Rating

Monthly Consumption

Brand Name

Product Model

Fan Category

Power Input

Issuance Year of Energy Rating: 2025
Monthly Energy Consumption*: 3.36 kWh
Brand Name: Kolin
Product Model: KCF-10TRGDC

Blade Diameter (mm): 190
Maximum Fan Flow Rate (m³/min): 16
Fan Category: Desk or Table Fan
Power Input: 14.00

*based on 8 hours of daily usage

Blade Diameter
Maximum Fan Flow Rate

QR Code



Legal Basis

ENERGY LABEL

Air Conditioner

Energy Efficiency Rating:

3.48

under standard test conditions



★ ★ ☆ ☆ ☆

"More stars and higher rating means more savings"

Issuance Year of Energy Rating: 2025
 Monthly Energy Consumption*: 119.88 kWh
 Brand Name: Kolin
 Product Model: KA-60MEMC32

Cooling Capacity (kW): 1.72
 Refrigerant: R32 (GWP 675)
 Installation Type: Window Type
 Power Input (W): 555.00 *based on 9 hours of daily usage

For more information:




www.doe.gov.ph

Energy Label issued under Section 15 of Republic Act No. 11285. Non-compliance, removal, defacing, or altering of the Energy Label is a violation under Section 30 and will be subject to the fines, penalties and criminal liability under Sections 32 and 33 of Republic Act No. 11285.
 CN: ACU-0009-002892

Non-Inverter

ENERGY LABEL

Air Conditioner

Energy Efficiency Rating:

5.60

under standard test conditions



★ ★ ★ ★ ★

"More stars and higher rating means more savings"

Issuance Year of Energy Rating: 2025
 Monthly Energy Consumption*: 99.90 kWh
 Brand Name: Kolin
 Product Model: KA-100GQAIINV32

Cooling Capacity (kW): 2.86
 Refrigerant: R32 (GWP 675)
 Installation Type: Window Type
 Power Input (W): 740.00 *based on 9 hours of daily usage

For more information:




www.doe.gov.ph

Energy Label issued under Section 15 of Republic Act No. 11285. Non-compliance, removal, defacing, or altering of the Energy Label is a violation under Section 30 and will be subject to the fines, penalties and criminal liability under Sections 32 and 33 of Republic Act No. 11285.
 CN: ACU-0009-002914

Inverter

ENERGY LABEL

Air Conditioner

Energy Efficiency Rating:

5.58

under standard test conditions



★ ★ ★ ★ ★

"More stars and higher rating means more savings"

Issuance Year of Energy Rating: 2025
 Monthly Energy Consumption*: 125.55 kWh
 Brand Name: Kolin
 Product Model: KS-IW10-MCAI12O1M32

Cooling Capacity (kW): 2.72
 Refrigerant: R32 (GWP 675)
 Installation Type: Split Type - Wall Mounted
 Power Input (W): 930.00 *based on 9 hours of daily usage



For more information:




www.doe.gov.ph

Energy Label issued under Section 15 of Republic Act No. 11285. Non-compliance, removal, defacing, or altering of the Energy Label is a violation under Section 30 and will be subject to the fines, penalties and criminal liability under Sections 32 and 33 of Republic Act No. 11285.
 CN: ACU-0009-002840

ENERGY EFFICIENCY PERFORMANCE RATING (EEPR) 2024			
	Below 3.33 kW	3.34 kW – 9.99 kW	10 to 14 kW
1 Star	3.08 to 3.31	2.81 to 3.11	≤ 3.11
2 Star	3.32 to 3.55	3.12 to 3.42	3.12 to 3.42
3 Star	3.56 to 3.79	3.43 to 3.73	3.42 to 3.73
4 Star	3.8 to 4	3.74 to 4	3.74 – 4
5 Star	≥ 4	≥ 4	≥ 4



ENERGY EFFICIENCY PERFORMANCE RATING (EEPR) 2025			
	Below 4.50 kW	4.51 to 9.99 kW	10 to 14 kW
1 Star	3.32 to 4.08	3.70 to 4.95	3.70 to 5.07
2 Star	4.09 to 4.67	4.96 to 5.54	5.08 to 5.45
3 Star	4.68 to 5.04	5.55 to 6.11	5.46 to 5.80
4 Star	5.05 to 5.86	6.12 to 6.73	5.81 to 6.10
5 Star	≥ 5.87	≥ 6.74	≥ 6.11

Proposed during 2025 but only started to be implemented this 2026

kolin
COMPACT
SERIES
MANUAL MODEL

*Lamig, Tibay at Tipid
Wala ka nang hahanapin pa!*



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KA-60MEMC32	0.60 hp	1.72 kW	3.48 ★★	→ 3.48 ★	3.32 to 4.08 ★ (1-Star)	Sep 13, 2025	Sep 13, 2026
KAM-75CMC32	0.75 hp	2.05 kW	3.34 ★★	→ 3.34 ★		Mar 21, 2025	Mar 21, 2026
KAM-95CMC32	1.0 hp	2.64 kW	3.37 ★★	→ 3.37 ★		Jun 13, 2025	Jun 13, 2026
KAM-150CMC32 for phase out	1.5 hp	3.52 kW	3.22 ★★	→ 3.22 FAILED		Nov 7, 2025	Nov 7, 2026

COMPACT SERIES

REMOTE MODEL



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING		2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KAM-75DRC32 for phase out	0.75 hp	2.05 kW	3.34 ★★	→	3.34 ★	3.32 to 4.08 ★ (1-Star)	Nov 7, 2025	Nov 7, 2026
KAM-100DRC32 for phase out	1.0 hp	2.64 kW	3.37 ★★	→	3.37 ★		Sep 13, 2025	Sep 13, 2026
KAM-150DRC32 for phase out	1.5 hp	3.52 kW	3.22 ★★	→	3.22 FAILED		Sep 13, 2025	Sep 13, 2026
KAM-200DRC32 for phase out	2.0 hp	5.42 kW	3.52 ★★★	→	3.52 FAILED	3.70 to 4.95 ★ (1-Star)	Sep 13, 2025	Sep 13, 2026



Creo

SERIES



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KA-75MCARINV32	0.75 hp	2.33 kW	5.15 ★★★★★	→ 5.15 ★★★★★	5.05 to 5.86 ★★★★★ (4-Star)	Oct 24, 2025	Oct 24, 2026
KA-100MCARINV32	1.0 hp	2.69 kW	4.74 ★★★★★	→ 4.74 ★★★★	4.68 to 5.04 ★★★★ (3-Star)	Oct 24, 2025	Oct 24, 2026
KA-150MCARINV32	1.5 hp	3.55 kW	4.58 ★★★★★	→ 4.58 ★★	4.09 to 4.67 ★★ (2-Star)	Oct 24, 2025	Oct 24, 2026
KA-200MCARINV32	2.0 hp	5.50 kW	5.0 ★★★★★	→ 5.0 ★★	4.96 to 5.54 ★★ (2-Star)	Oct 24, 2025	Oct 24, 2026

NOMINAL CAPACITY	KOLIN – CREO		BRAND X	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
0.75 hp	2.33 kW	5.15 ★★★★	2.36 kW	4.46 ★★
1.0 hp	2.69 kW	4.74 ★★★	2.78 kW	4.05 ★
1.5 hp	3.55 kW	4.58 ★★	3.33 kW	4.47 ★★
2.0 hp	5.50 kW	5.0 ★★	5.21 kW	4.77 ★



QUAD

Designed with your comfort in mind.



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KAG-75WCINV for phase out	0.75 hp	2.47 kW	4.45 ★★★★★	→ 4.45 ★★	4.09 to 4.67 ★★ (2-Star)	Nov 14, 2025	Nov 14, 2026
KAG-100WCINV for phase out	1.0 hp	2.83 kW	4.34 ★★★★★	→ 4.34 ★★		Nov 14, 2025	Nov 14, 2026
KAG-145WCINV for phase out	1.5 hp	3.67 kW	4.45 ★★★★★	→ 4.45 ★★		Nov 14, 2025	Nov 14, 2026
KAG-200WCINV for phase out	2.0 hp	5.30 kW	4.5 ★★★★★	→ 4.5 ★	3.70 to 4.95 ★ (1-Star)	Mar 21, 2025	Mar 21, 2026
KAG-250WCINV for phase out	2.5 hp	6.70 kW	4.26 ★★★★★	→ 4.26 ★		Nov 14, 2025	Nov 14, 2026

 kolin

QUAD

DRIVEN BY **Ai**



PRODUCT NAME	COOLING CAPACITY (kW)	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KA-75GQAIINV32	2.50 kW	5.51 ★★★★	5.05 to 5.86 ★★★★ (4-Star)	Oct 4, 2025	Oct 4, 2026
KA-100GQAIINV32	2.86 kW	5.6 ★★★★		Oct 4, 2025	Oct 4, 2026
KA-150GQAIINV32	3.67 kW	5.53 ★★★★		Oct 4, 2025	Oct 4, 2026
KA-200GQAIINV32	5.30 kW	5.59 ★★★	5.55 to 6.11 ★★★ (3-Star)	Oct 4, 2025	Oct 4, 2026
KA-250GQAIINV32	6.70 kW	5.39 ★★	4.96 to 5.54 ★★ (2-Star)	Oct 4, 2025	Oct 4, 2026

NOMINAL CAPACITY	KOLIN – QUAD AI		BRAND X	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
1.0 hp	2.86 kW	5.6 ★★★★	2.78 kW	4.10 ★★
1.5 hp	3.67 kW	5.53 ★★★★	3.33 kW	4.84 ★★★★
2.0 hp	5.30 kW	5.59 ★★★	5.0 kW	4.01 ★
2.5 hp	6.70 kW	5.39 ★★	5.83 kW	4.01 ★

NOMINAL CAPACITY	KOLIN – QUAD AI		BRAND Y	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
1.0 hp	2.86 kW	5.6 ★★★★	2.6 kW	5.12 ★★★★★
1.5 hp	3.67 kW	5.53 ★★★★	3.33 kW	5.04 ★★★★
2.0 hp	5.30 kW	5.59 ★★★	5.28 kW	4.67 ★
2.5 hp	6.70 kW	5.39 ★★	6.67 kW	4.37 ★

CERTUS

DRIVEN BY **Ai**

AI is the New Comfort!



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KS-IW10-MCAI12O1M32-I	1.0 hp	2.72 kW	5.58 ★★★★★	→ 5.58 ★★★★★	5.05 to 5.86 ★★★★★ (4-Star)	Jul 15, 2025	Jul 15, 2026
KS-IW15-MCAI12O1M32-I	1.5 hp	3.58 kW	5.80 ★★★★★	→ 5.80 ★★★★★		Jul 30, 2025	Jul 30, 2026
KS-IW20-MCAI12O1M32-I	2.0 hp	5.28 kW	6.14 ★★★★★	→ 6.14 ★★★★★	6.12 to 6.73 ★★★★★ (4-Star)	Jul 15, 2025	Jul 15, 2026
KS-IW25-MCAI12O1M32-I	2.5 hp	6.61 kW	6.14 ★★★★★	→ 6.14 ★★★★★		Jul 15, 2025	Jul 15, 2026

NOMINAL CAPACITY	KOLIN – CERTUS AI		BRAND X	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
1.0 hp	2.72 kW	5.58 ★★★★★	2.78 kW	4.90 ★★★★
1.5 hp	3.58 kW	5.80 ★★★★★	3.61 kW	4.92 ★★★★
2.0 hp	5.28 kW	6.14 ★★★★★	5.44 kW	5.18 ★★★
2.5 hp	6.61 kW	6.14 ★★★★★	7.31 kW	5.72 ★★★★

NOMINAL CAPACITY	KOLIN – CERTUS AI		BRAND Y	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
1.0 hp	2.72 kW	5.58 ★★★★★	2.64 kW	5.15 ★★★★★
1.5 hp	3.58 kW	5.80 ★★★★★	3.52 kW	5.40 ★★★★★
2.0 hp	5.28 kW	6.14 ★★★★★	5.28 kW	5.55 ★★★★
2.5 hp	6.61 kW	6.14 ★★★★★	6.45 kW	6.00 ★★★★

Primus Gold



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KSG-IWF-10WFY-8K1M32	1.0 hp	2.90 kW	7.31 ★★★★★	7.31 ★★★★★	>= 5.87 ★★★★★ (5-Star)	Sep 13, 2025	Sep 13, 2026
KSG-IWF-15WFY-8K1M32	1.5 hp	3.60 kW	6.68 ★★★★★	6.68 ★★★★★		Sep 13, 2025	Sep 13, 2026
KSG-IWF-20WFY-8K1M32	2.0 hp	5.28 kW	6.9 ★★★★★	6.9 ★★★★★		Nov 14, 2025	Nov 14, 2026
KSG-IWF-25WFY-8K1M32	2.5 hp	7.10 kW	5.85 ★★★★★	5.85 ★★★★	5.55 to 6.11 ★★★ (3-Star)	Sep 13, 2025	Sep 13, 2026
KSG-IWF-30WFY-8K1M32	3.0 hp	8.19 kW	5.74 ★★★★★	5.74 ★★★★		Sep 13, 2025	Sep 13, 2026

NOMINAL CAPACITY	KOLIN – PRIMUS GOLD		BRAND X	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
1.0 hp	2.90 kW	7.31 ★★★★★	2.64 kW	4.32 ★★
1.5 hp	3.60 kW	6.68 ★★★★★	3.53 kW	4.50 ★★
2.0 hp	5.28 kW	6.9 ★★★★★	5.28 kW	4.30 ★
2.5 hp	7.10 kW	5.85 ★★★	6.44 kW	5.10 ★★
3.0 hp	8.19 kW	5.74 ★★★	8.79 kW	5.20 ★★


NOMINAL CAPACITY	KOLIN – PRIMUS GOLD		BRAND Y	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
1.0 hp	2.90 kW	7.31 ★★★★★	2.73 kW	5.50 ★★★★★
1.5 hp	3.60 kW	6.68 ★★★★★	3.61 kW	5.46 ★★★★★
2.0 hp	5.28 kW	6.9 ★★★★★	5.31 kW	5.37 ★★
2.5 hp	7.10 kW	5.85 ★★★	6.45 kW	5.95 ★★★
3.0 hp	8.19 kW	5.74 ★★★	8.30 kW	5.50 ★★



FLOOR MOUNTED

*Energy Savings, Functionality and Durability
The Standards of Comfort.*



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KL-IF40-G6H1M32	4.0 hp / 3 TR	10.69 kW	5.37 ★★★★★	 5.37 ★★	5.08 to 5.45 ★★ (2-Star)	Aug 8, 2025	Aug 8, 2026
KL-IF60-G6H1M32	6.0 hp / 5 TR	16.15 kW	Not Applicable / Exempted		More than 14 kW capacity is not included in the CSPF Rating Energy Label Program.		

NOMINAL CAPACITY	KOLIN		OTHER BRANDS	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
4.0 hp / 3 TR	10.69 kW	5.37 ★★★	10.55 kW	4.21 ★
			10.83 kW	4.74 ★
			10.54 kW	4.70 ★



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	ENERGY EFFICIENCY PERFORMANCE RATING
KLG-IF100-4F3M410	10 hp / 7.5 TR	12.3 – 28.0 kW	Not Applicable / Exempted		More than 14 kW capacity is not included in the CSPF Rating Energy Label Program.



CEILING CASSETTE

INVERTER Air Conditioner

360 degrees of chill:
Air conditioning redefined.



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KLM-IS40-AA1M32	4.0 hp / 3 TR	10.55 kW	5.24 ★★★★★	5.24 ★★	5.08 to 5.45 ★★ (2-Star)	Nov 7, 2025	Nov 7, 2026
KLM-IS60-AA1M32	6.0 hp / 5 TR	15.42 kW	Not Applicable / Exempted		More than 14 kW capacity is not included in the CSPF Rating Energy Label Program.		

NOMINAL CAPACITY	KOLIN		OTHER BRANDS	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
4.0 hp / 3 TR	10.55 kW	5.24 ★★	10.17 kW	2.76 FAILED

*3.70 to 5.07
★ (1-Star)



FLOOR/CEILING

INVERTER Air Conditioner

*A breeze of flexibility and efficiency.
Air conditioning tailored for you.*



PRODUCT NAME	NOMINAL CAPACITY	COOLING CAPACITY (kW)	2024 CSPF RATING	2025 CSPF RATING	2025 ENERGY EFFICIENCY PERFORMANCE RATING	VALIDITY	
KLM-IC40-AA1M32	4.0 hp / 3 TR	10.55 kW	4.92 ★★★★★	4.92 ★	3.70 to 5.07 ★ (1-Star)	Nov 7, 2025	Nov 7, 2026
KLM-IC60-AA1M32	6.0 hp / 5 TR	15.42 kW	Not Applicable / Exempted		More than 14 kW capacity is not included in the CSPF Rating Energy Label Program.		

NOMINAL CAPACITY	KOLIN		OTHER BRANDS	
	COOLING CAPACITY (kW)	CSPF	COOLING CAPACITY (kW)	CSPF
4.0 hp / 3 TR	10.55 kW	4.92 ★	10.20 kW	2.74 FAILED

*3.70 to 5.07
★ (1-Star)



**Fans with more than
125W power input
are exempted for
application**



INVERTER AIR CIRCULATOR



PRODUCT NAME	MAX FAN FLOW RATE		POWER INPUT (W)	ENERGY EFFICIENCY FAN RATING (EEFR)	VALIDITY	
	(m3/min) or CMM	(ft3/min) or CFM				
KCF-12SRWDC	21	741	26	0.81	Jul 14, 2025	Jul 14, 2026
KCF-14SRGDC	28	988	34	0.82	Jul 14, 2025	Jul 14, 2026
KCF-14WRWDC	29	1,024	32	0.91	Jul 14, 2025	Jul 14, 2026

**Passing of Energy Efficiency Fan (EEF) Rating for fans has not yet been released by DOE-PELP*

AIR CIRCULATOR




PRODUCT NAME	MAX FAN FLOW RATE		POWER INPUT (W)	ENERGY EFFICIENCY FAN RATING (EEFR)	VALIDITY	
	(m3/min) or CMM	(ft3/min) or CFM				
KCF-10TRGDC	16	565	14	1.14	Nov 14, 2025	Nov 14, 2026

*Passing of Energy Efficiency Fan (EEF) Rating for fans has not yet been released by DOE-PELP



2-in-1 AIR PURIFIER & CIRCULATOR



PRODUCT NAME	MAX FAN FLOW RATE		POWER INPUT (W)
	(m3/min) or CMM	(ft3/min) or CFM	
KCF-09APRBDC	16 – circulator 9 – purifier	565 – circulator 318 – purifier	27 – circulator 30 – purifier

*exempted from the EEFER.



HEAVY DUTY INVERTER INDUSTRIAL FAN

SAVE
Up to
70%
ON ENERGY CONSUMPTION

*As low as 45W,
compared to an AC fan
with 155W



Sealed Type
Brushless
DC Motor



Reduced Noise
Operation
*As Low as 49 dB(A)



PRODUCT NAME	MAX FAN FLOW RATE		POWER INPUT (W)	ENERGY EFFICIENCY FAN RATING (EEFR)	VALIDITY	
	(m3/min) or CMM	(ft3/min) or CFM				
KIF-20SMBBLDC	73	2,578	45	1.62	Apr 22, 2025	Apr 22, 2026
KIF-20WMBBLDC	73	2,578	45	1.62	Apr 22, 2025	Apr 22, 2026
KIF-26SMBBLDC	160	5,650	94	1.7	Apr 22, 2025	Apr 22, 2026
KIF-26WMBBLDC	160	5,650	94	1.7	Apr 22, 2025	Apr 22, 2026

*Passing of Energy Efficiency Fan (EEF) Rating for fans has not yet been released by DOE-PELP



DC Inverter Household Fan

**MATIPID SA KURYENTE!
DC FAN YAN EH!**



PRODUCT NAME	MAX FAN FLOW RATE		POWER INPUT (W)	ENERGY EFFICIENCY FAN RATING (EEFR)
	(m3/min) or CMM	(ft3/min) or CFM		
KF-16SMBDC	63	2,224	42	1.5
KF-18SMBDC	107	3,778	44	2.43

**ongoing product registration*

**Passing of Energy Efficiency Fan (EEF) Rating for fans has not yet been released by DOE-PELP*



PRODUCT NAME	MAX FAN FLOW RATE		POWER INPUT (W)	ENERGY EFFICIENCY FAN RATING (EEFR)
	(m3/min) or CMM	(ft3/min) or CFM		
KEA-25BWR	41.67	1,471	38	0.85

**ongoing product registration*



AIR COOLER *with* PURIFIER



Puri-Filtration System



3D Airflow



4 Fan Speed Levels



45L Water Tank
Capacity



PRODUCT NAME	MAX FAN FLOW RATE		POWER INPUT (W)	ENERGY EFFICIENCY FAN RATING (EEFR)
	(m3/min) or CMM	(ft3/min) or CFM		
KEA-4512V6BRAC	75	2,648	180	0.42
KEA-4515V6BRAC	75	2,648	180	0.42

*exempted from the EEFR.

DECLARED PHASED-OUT MODELS

SPLIT TYPE	
KSM-IW10-9L1M	KSM-SW10-6H1M32
KSM-IW15-9L1M	KSM-SW15-6H1M32
KSM-IW20-9L1M	KSM-SW20-6H1M32
KSM-IW25-9L1M	KSM-SW25-6H1M32

WINDOW TYPE
KAM-55CMC32

LIGHT COMMERCIAL
KLG-SF40-WBR6H1M32

PRODUCTS WITH CERTIFICATE OF EXEMPTION (COE)

MODEL	START OF APPLICATION
KSM-SW10-5G1M	5/19/2022
KSM-SW15-5G1M	
KSM-SW20-5G1M	
KSM-SW25-5G1M	
KSG-SW30-6H1M	8/16/2022

MODEL	START OF APPLICATION
KSM-IW10-6H1M	6/2/2022
KSM-IW15-6H1M	
KSM-IW20-6H1M	
KSM-IW25-6H1M	

MODEL	START OF APPLICATION
KSM-IW10WAE-7J1M	7/7/2022
KSM-IW15WAE-7J1M	
KSM-IW20WAE-7J1M	
KSM-IW25WAE-7J1M	
KSM-IW30WAE-7J1M	

PRODUCTS WITH CERTIFICATE OF EXEMPTION (COE)

MODEL	START OF APPLICATION
KAG-60HME4	6/6/2022
KAG-80HME4	
KAG-100HME4	
KAG-150HME4	
KAG-200HME4	
KAG-250HME4	

MODEL	START OF APPLICATION
KAG-80HRE4	6/6/2022
KAG-100HRE4	
KAG-150HRE4	
KAG-200HRE4	
KAG-250HRE4	

MODEL	START OF APPLICATION
KAG-110RSINV	7/7/2022
KAG-145RSINV	
KAG-200RSINV	
KAG-240RSINV	

MODEL	START OF APPLICATION
KAM-55BMC	6/16/2022
KAM-75BMC	
KAM-95BMC	